

Product Characteristics

MILWAUKEE M18HB12

M18 REDLITHIUM-ION HIGH OUTPUT 12.0AH BATTERY PACK

Our Number:	MWKM18HB12	Supplier Number:	M18HB12
EAN Number:	4892210164360		

Product Description

The M18 REDLITHIUM-ION HIGH OUTPUT 12.0Ah Battery Pack provides 50% more power and runs 50% cooler vs M18 REDLITHIUM-ION battery packs. The massive increase in power elevates the performance of the entire M18 system and drives the next breakthrough in M18 FUEL, delivering the power of corded product. It delivers fade free power and runs substantially cooler through heavy applications, allowing tradesmen to push their cordless tools harder and longer than ever before. The M18 REDLITHIUM-ION HIGH OUTPUT 12.0Ah is the best performing cold weather pack ever made, providing increased power in extreme cold weather conditions (below -18C). It provides the most work per charge of any professional power tool battery in the industry, driving full corded replacement on the jobsite.



Technical Specifications

Attribute Name	Attribute Value
Weight	1,600
Capacity	12 A·h
Nominal voltage	18 V
Battery type	Lithium Ion

Classifications	
ETIM	EC001199
UNSPSC	27112700

Create Date: 11/01/2023

Disclaimer

For use on datasheets that are created by Rexel

The information in this document is intended to provide a brief summary of our knowledge of this product. It has been compiled from sources we believed at the time of compilation to be reliable and accurate. It is not meant to be an exhaustive and complete document about the product. Rexel does not warrant that it is accurate, complete or up to date.

Each user of this information needs to verify (including by its own risk analysis, evaluation and testing) the product's characteristics and features in light of its particular intended use for the product. Each user should, before purchasing this product and before use, obtain the latest relevant information from the manufacturer, details of which can be provided by the Rexel Australia group.

The Rexel Australia group excludes all warranties or guarantees implied by law, and all liability for any error, inaccuracy, loss or damage resulting from the use of this information. No rights to reproduce this document are granted by the publication of this document. This publication may be changed at any time.