


KT cable grommets, black

for cable diameters 1 - 35 mm / IP66 / IP68



IP54	IP55	IP64	IP65	IP66
IP67	IP68			
				Made in Germany

Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
Material	Elastomer
Flame class	UL94-HB
Operating temperature	-30 C° to 90 C°
Properties	higher chemical resistance

Product types & sizes

BTK bk	Part No.	41351	Height	19 mm
	EAN	4251269307072	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	Colour	schwarz	Blank grommet	1
	Length	21 mm		
	Width	21 mm		
	IP68			

KT 1 bk	Part No.	39943	Height	19 mm
	EAN	4251269318160	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 1 - 2 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		
	IP68			

Cable grommets KT small are used with the following cable entry components:

- KEL cable entry frames
- KVT split cable glands


In combination with KEL-ER cable entry frames and KVT-ER cable glands the KT single-hole grommets enable a sealing of the cables with up to IP66 / IP68.


The model range KT small is designed for cable diameters from 1 to 17 mm. Cable grommets KT large accept a wide range of cable diameters from 16 to 35 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.


Advantages & benefits


- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters
- Greatly increased cable density when using double or quadruple grommets


KT 2 bk 	Part No.	41302	Height	19 mm
	EAN	4251269306761	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 2 - 3 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		


KT 3 bk 	Part No.	41303	Height	19 mm
	EAN	4251269306778	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 3 - 4 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		


KT 4 bk 	Part No.	41304	Height	19 mm
	EAN	4251269306785	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 4 - 5 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		


KT 5 bk 	Part No.	41305	Height	19 mm
	EAN	4251269306792	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 5 - 6 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		


KT 6 bk 	Part No.	41306	Height	19 mm
	EAN	4251269306808	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 6 - 7 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		


KT 7 bk 	Part No.	41307	Height	19 mm
	EAN	4251269306815	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 7 - 8 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		


KT 8 bk 	Part No.	41308	Height	19 mm
	EAN	4251269306822	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 8 - 9 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		


KT 9 bk 	Part No.	41309	Height	19 mm
	EAN	4251269306839	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 9 - 10 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		

KT 10 bk 	Part No.	41310	Height	19 mm
	EAN	4251269306846	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	x 10 - 11 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		

KT 11 bk 	Part No.	41311	Height	19 mm
	EAN	4251269306853	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 11 - 12 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		

KT 12 bk 	Part No.	41312	Height	19 mm
	EAN	4251269306860	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 12 - 13 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		

KT 13 bk 	Part No.	41313	Height	19 mm
	EAN	4251269306877	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 13 - 14 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		


KT 14 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41314
4251269306884
10
1
schwarz
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 14 - 15 mm


KT 15 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41315
4251269306891
10
1
schwarz
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 15 - 16 mm


BTG bk (IP54)

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41352
4251269307089
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Blank grommet

19 mm
2 mm
Rundleitung
1


KT 16 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41316
4251269306907
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 16 - 17 mm


KT 17 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41317
4251269306914
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 17 - 18 mm


KT 18 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41318
4251269306921
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 18 - 19 mm


KT 19 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41319
4251269306938
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 19 - 20 mm


KT 20 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41320
4251269306945
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 20 - 21 mm


KT 21 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41321
4251269306952
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 21 - 22 mm


KT 22 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41322
4251269306969
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 22 - 23 mm


KT 23 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41323
4251269306976
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 23 - 24 mm


KT 24 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41324
4251269306983
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 24 - 25 mm


KT 25 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41325
4251269306990
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 25 - 26 mm


KT 26 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41326
4251269307003
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 26 - 27 mm


KT 27 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41327
4251269307010
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 27 - 28 mm


KT 28 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41328
4251269307027
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 28 - 29 mm


KT 29 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41329
4251269307034
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 29 - 30 mm

KT 30 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41330
4251269307041
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 30 - 31 mm

KT 31 bk 	Part No.	41331	Height	19 mm
	EAN	4251269316807	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 31 - 32 mm
	Colour	schwarz		
	Length	41.5 mm		
	Width	42 mm		

KT 32 bk 	Part No.	41332	Height	19 mm
	EAN	4251269307058	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 32 - 33 mm
	Colour	schwarz		
	Length	41.5 mm		
	Width	42 mm		

KT 33 bk 	Part No.	41333	Height	19 mm
	EAN	4251269316814	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 33 - 34 mm
	Colour	schwarz		
	Length	41.5 mm		
	Width	42 mm		

KT 34 bk 	Part No.	41334	Height	19 mm
	EAN	4251269307065	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 34 - 35 mm
	Colour	schwarz		
	Length	41.5 mm		
	Width	42 mm		