

4	introduction
6	AirFry
8	separate grill
10	new design and finish
12	built in Australia
14	other features
16	product range
40	specifications

They say the kitchen is the heart and soul of every home.

At Westinghouse, we want to make every day easy. Our latest range makes practical look stylish, with exciting innovations and clever designs to make cooking a pleasure for everyone. We're introducing innovative features to our latest range of freestanding cookers.

With modern compact kitchens in mind our range of freestanding cookers offer the best solution for homes that are looking for their cooktop and oven to be in one appliance. Whilst smaller in capacity, there are no compromises on features.

With a choice in cooktop type and finish, you have the ability to seamlessly fit our freestanding range in any kitchen aesthetic. In selected models, you will be able to use AirFry to make healthier, delicious meals without taking up extra bench space.

You'll feel right at home with Westinghouse.

make every mealtime easy

There is nothing that says good home cooking more than our stylish and modernly designed quality freestanding cookers.


Most of our models come in a white, natural and dark stainless steel finish and are available as full electric, full gas or a dual fuel combination in certain models. Selected models come with AirFry, removing the need to find space for a bench top model. Most offer a separate

grill while all offer a generous oven size that's comparable to our latest built-in models. All models can be freestanding or seamlessly integrated into any kitchen design whether you have a large space or something more compact.

Whatever your choice, it's ready to slot right into your kitchen and right into your life, making everyday cooking a pleasure, not a chore.




Model shown: WFE646DSC



AirFry for that perfect, healthy crunch

When a food craving hits, make healthier and delicious food right in your oven. Deliver all the flavour and none of the guilt. AirFry allows you to make healthier, tasty meals for the entire family – right in your oven. The only oven range with AirFry.



grill separately for smooth entertaining

The separate grilling compartment on selected models means you can entertain guests and cook big family meals with absolute ease and without compromising on precious oven space.






built in Australia

Westinghouse has been part of Australian homes for generations and the kitchen appliance brand we have always known and trusted to build reliable products. This range of freestanding cookers are built in a local factory in Adelaide.



features



A contemporary digital programmable clock with 3 simple-to-operate buttons. You can automatically set the oven to turn on or off, or use the timer to keep track of your bake times.

(Selected models)

family meals made easy

With room for the family roast or a delicious dessert, our 80L capacity in our 60cm oven range allows you to make every mealtime easy and full of flavour.

sleek and stylish

With a fingerprint resistant finish dark stainless steel brings a modern feel to any kitchen. With a practical and premium finish you can take your kitchen in a fresh new direction by incorporating dark stainless steel appliances into your plans.

(Selected models)

more versatility with variable zones

Sometimes you are cooking for two and other times it's for five, with our powerful Dual Zone functionality you are able to adjust to your chosen pot or pan size with ease.

(Selected models)


family safety first

Our cast iron trivets flat design ensure the base of your pots and pans are fully supported, allowing you to have a safe and stable cooking environment.

(Selected models)

bring out the flavour with high heat


Whip up tasty stir-fries and more with our high-powered wok burner. You'll get the high heat you need with 14.2 MJ/h of power at its highest setting. (Selected models)













60cm freestanding cookers



WFE646DSC

60cm electric freestanding cooker with a 4 zone ceramic cooktop, AirFry

- AirFry
- Electric fan forced multifunction 7 oven
- 2 hour mechanical timer, ringer
- Easy clean formed shelf supports
- Knob controls, front
- 4 zone ceramic cooktop
- Powerful dual zone cooktop

- Hot surface indicator
 - Power on indicator
 - 80L capacity oven
 - Dark stainless steel finish

60

Height to hob x width x depth (mm) 910 x 596 x 630

Height of splashback (mm)



WFE616DSC

60cm dual fuel freestanding cooker with a 4 burner gas cooktop, AirFry

- AirFry
- Electric fan forced multifunction 7 oven
- 2 hour mechanical timer, ringer
- Easy clean formed shelf supports
- Knob controls, front
- 4 burner gas cooktop
- Cast iron trivets

- 14.2 mj/hr triple ring wok burner
- Flame Failure device
- 80L capacity oven
- Dark stainless steel finisl

Height to hob x width x depth (mm)

910 x 596 x 630

Height of splashback (mm) 60

60cm freestanding cookers



WFE614SC

60cm dual fuel freestanding cooker with a 4 burner gas cooktop


- Electric fan forced oven
- 2 hour mechanical timer, ringer
- Easy clean formed shelf supports
- Knob controls, front
- 4 burner gas cooktop
- Cast iron trivets
- 14.2 mj/hr triple ring wok burner

- Flame Failure device
- 80L capacity oven
- Stainless steel finish

Height to hob x width x depth (mm)

910 x 596 x 630

Height of splashback (mm)



60cm freestanding cookers with separate grill



Also available in white: WFE642WC



WFE642SC

60cm electric freestanding cooker with separate grill and a 4 zone ceramic cooktop

- Electric fan forced oven
- Handy separate electric grill compartment
- 2 hour mechanical timer, ringer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 zone ceramic cooktop
- Powerful dual zone cooktop

- Hot surface indicator
- Power on indicator
- 80L capacity oven
- Stainless steel finish

Height to hob x width x depth (mm)

910 x 596 x 630

Height of splashback (mm)

60



WFE612SC

60cm dual fuel freestanding cooker with separate grill and a 4 burner gas cooktop

- Electric fan forced oven
- Handy separate electric grill compartment
- 2 hour mechanical timer, ringer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 burner gas cooktop
- Cast iron trivets

- 14.2 mj/hr triple ring wok burner
- Flame Failure device
- 80L capacity oven
- Stainless steel finish

Height to hob x width x depth (mm)

910 x 596 x 630

Height of splashback (mm) 60

60cm freestanding cookers with separate grill



WLE642WC

60cm electric freestanding cooker with separate grill and a 4 zone ceramic cooktop

- Electric fan forced oven
- Handy separate electric grill compartment
- 2 hour mechanical timer, ringer
- Easy clean formed shelf supports in main oven
- Knob controls, rear
- 4 zone ceramic cooktop
- Powerful dual zone cooktop

- forced oven Hot surface indicator
 - Power on indicator
 - 80L capacity oven
 - White finish

Height to hob x width x depth (mm)

910 x 596 x 620

Total height (mm) 1150



WLE622WC

60cm electric freestanding cooker with separate grill and a 4 zone coil cooktop

- Electric fan forced oven
- Handy separate electric grill compartment
- 2 hour mechanical timer, ringer
- Easy clean formed shelf supports in main oven
- Knob controls, rear
- 4 zone coil cooktop
- Power on indicator

- 80L capacity oven
- White finish

Height to hob x width x depth (mm)

910 x 596 x 620

Total height (mm) 1150

 \sim 23

60cm freestanding cookers with separate grill



Available in

Natural Gas: WFG612SCNG LPG: WFG612SCLP

WFG612SC

60cm gas freestanding cooker with separate grill and a 4 burner gas cooktop

- Gas oven with fan
- Handy separate gas grill compartment
- 2 hour mechanical timer, ringer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 burner gas cooktop
- Cast iron trivets

- 14.2 mj/hr triple ring wok burner
- Flame Failure device
- 80L capacity oven
- Stainless steel finish

Height to hob x width x depth (mm)

910 x 596 x 630

Height of splashback (mm)

. 506 .. 670

60

WFG612WCNG

60cm gas freestanding cooker with separate grill and a 4 burner gas cooktop

- Gas oven with fan
- Handy separate gas grill compartment
- 2 hour mechanical timer, ringer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 burner gas cooktop
- Cast iron trivets

- 14.2 mj/hr triple ring wok burner
- Flame Failure device
- Available in Natural Gas only
- 80L capacity oven
- White finish

Height to hob x width x depth (mm)

910 x 596 x 630

Height of splashback (mm) 60

54cm freestanding cookers with separate grill



WFE542SC

54cm electric freestanding cooker with separate grill and a zone ceramic cooktop

- Electric fan forced oven
- Handy separate electric grill compartment
- 2 hour mechanical timer, ringer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- Powerful dual zone cooktop
- Hot surface indicator

- Power on indicator
 - 80L capacity oven
 - Stainless steel finish

Height to hob x width x depth (mm)

910 x 540 x 630

60

Height of splashback (mm)



WFE532WC

54cm electric freestanding cooker with separate grill and a 4 zone solid cooktop

- Electric fan forced oven
- Handy separate electric grill compartment
- 1 hour mechanical timer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 zone solid cooktop
- Power on indicator

• 80L capacity oven

• White finish

Height to hob x width x depth (mm)

910 x 540 x 630

Height of splashback (mm) 60

54cm freestanding cookers with separate grill



WFE512SC

Height of splashback (mm)

54cm dual fuel freestanding cooker with separate grill and a 4 burner gas cooktop


- Electric fan forced oven
- Handy separate electric grill compartment
- 2 hour mechanical timer, ringer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 burner gas cooktop
- 14.2 mj/hr triple ring wok burner

- Flame Failure device
- 80L capacity oven
- Stainless steel finish

60

Height to hob x width x depth (mm)

910 x 540 x 630



54cm freestanding cookers with separate grill



WLE543WC

54cm electric freestanding cooker with separate grill and a 4 zone ceramic cooktop

- Electric fan forced oven
- Handy separate electric grill compartment
- Programmable 3 button clock timer
- Easy clean formed shelf supports in main oven
- Knob controls, rear
- 4 zone ceramic cooktop
- Hot surface indicator

- en Power on indicator
 - 80L capacity oven
 - White finish

Height to hob x width x depth (mm) 910 x 540 x 630

Total height (mm) 1150



WLE532WC

54cm electric freestanding cooker with separate grill and a 4 zone solid cooktop

- Electric fan forced oven
- Handy separate electric grill compartment
- 1 hour mechanical timer
- Easy clean formed shelf supports in main oven
- Knob controls, rear
- 4 zone solid cooktop
- Power on indicator

- 80L capacity oven
- White finish

Height to hob x width x depth (mm)

910 x 540 x 620

Total height (mm) 1150

54cm freestanding cookers with separate grill



WLE522WC

54cm electric freestanding cooker with separate grill and a 4 zone coil cooktop

- Electric fan forced oven
- Handy separate electric grill compartment
- 1 hour mechanical timer
- Easy clean formed shelf supports in main oven
- Knob controls, rear
- 4 zone coil cooktop
- Power on indicator

- 80L capacity oven
- White finish

Height to hob x width x depth (mm) 910 x 540 x 620

Total height (mm) 1150



Available in Natural Gas: WLG510WCNG LPG: WLG510WCLP

WLG510WC

54cm gas freestanding cooker with separate grill and a 4 burner gas cooktop

Height to hob x width x depth (mm)

- Conventional gas oven
- Handy separate gas grill compartment
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 burner gas cooktop
- 12.1 mj/hr wok burner
- Flame Failure device

• 80L capacity oven

White finish

910 x 540 x 620

Total height (mm) 1150

54cm freestanding cookers with separate grill



Available in Natural Gas or LPG

WLG512WC

54cm gas freestanding cooker with separate grill and a 4 burner gas cooktop

- Conventional gas oven with
- Handy separate gas grill compartment
- 1 hour mechanical timer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 burner gas cooktop
- 14.2 mj/hr triple ring wok

- Flame Failure device
- 80L capacity oven
- White finish

Height to hob x width x depth (mm)

910 x 540 x 620

Total height (mm)



elevated freestanding cookers



Also available in WDG110WCNG-R



WDG110WCNG-L

Elevated gas freestanding cooker with separate grill and a 4 burner gas cooktop

- Conventional gas oven
- Handy separate gas grill compartment
- 1 hour mechanical timer, ringer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 burner gas cooktop
- Manual ignition

- Enamel trivets
 - 12.1 mj/hr wok burner
 - Flame Failure device
 - 80L capacity oven
 - Available in natural gas only
 - White finish

Height to hob x width x depth (mm)

910 x 596 x 630

Total height (mm) 544



Also available in WDG112WCNG-R



WDG112WCNG-L

110cm left side opening elevated gas freestanding cooker with separate grill and a 4 burner gas cooktop

- Conventional gas oven with fan
- Handy separate gas grill compartment
- 1 hour mechanical timer, ringer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 burner gas cooktop

- Electronic ignition
- Enamel trivets
- 12.1 mj/hr wok burner
- Flame Failure device
- 80L capacity ovenWhite finish

Height to hob x width x depth (mm)

320 x 1085 x 620

Total height (mm) 544

elevated freestanding cookers



Also available in WDE132WC-R



WDE132WC-L

110cm left side opening elevated electric freestanding cooker with separate grill and a 4 zone solid cooktop

- Electric fan forced oven
- Handy separate electric grill compartment
- 1 hour mechanical timer, ringer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 zone solid cooktop
- Power on indicator

- 80L capacity oven
- White finish

Height to hob x width x depth (mm) 320 x 1085 x 620

Total height (mm) 544







WDE143WC-L/R

110cm left side opening elevated electric freestanding cooker with separate grill and a 4 zone ceramic cooktop

- Electric fan forced oven
- Handy separate electric grill compartment
- Programmable 3 button clock timer
- Easy clean formed shelf supports in main oven
- Knob controls, front
- 4 zone ceramic cooktop
- Hot surface indicator

- Power on indicator
- 80L capacity oven
- White finish

Height to hob x width x depth (mm)

320 x 1085 x 620

Total height (mm) 544

SPECIFICATIONS

60cm freestanding cookers







Features[†]

	WFE646DSC	WFE616DSC	WFE614SC
Туре	electric	dual fuel	dual fuel
Available finishes	dark stainless steel	dark stainless steel	stainless steel
Controls	knob	knob	knob
Controls location	front	front	front
key features			
AirFry	√	√	
Separate grill			
Separate grill type			
Timer	2 hour mechanical timer, ringer	2 hour mechanical timer, ringer	2 hour mechanical timer, ringe
Dual zone (ceramic cooktop)	✓	2 Hour mechanical timer, miger	2 flodi fflechanical timei, filige
Made in Australia	·		
oven			
Гуре	electric, multifunction, fan forced	electric, multifunction, fan forced	Electric, fan forced
Gross capacity, main oven (L)	80	80	80
Gross capacity, separate grill (L)			
Oven light			
Easy clean formed shelf supports (main oven)	✓	✓	✓
Easy clean removeable door	<i>✓</i>	√	✓
Door glass layers	2	2	2
Oven Ignition (gas oven only)			
Oven flame failure device (gas oven only)			
Oven burner output (MJ/h) (gas oven only)			
cooktop			
Гуре	ceramic	gas	gas
Number of burners / zones	4	4	4
_eft front	1000/2200W	14.2 MJ/h (triple ring wok)	14.2 MJ/h (triple ring wok)
_eft rear	1200W	9.0 MJ/h	9.0 MJ/h
Right front	1200W	5.1 MJ/h	5.1 MJ/h
Right rear	1800W	12.1 MJ/h	12.1 MJ/h
Power on indicator	·		
Hot surface indicator	·		
Cooktop ignition (gas cooktop only)		electronic	electronic
Flame gailure (gas cooktop only)		✓	✓
Trivets (gas cooktop only)		cast iron	cast iron
Included Accessories			
AirFry tray	·	√	-
Number of wire shelves	2	2	2
Number of shelf positions	5	5	5
Grill dish	-	<u>-</u>	-
Baking tray	✓	✓	✓
Rack insert (tray/dish)	✓	✓	✓
Side racks L/H (separate grill only)	-	-	-
Telescopic slides (separate grill only)	-	-	-
Product Dimensions			
Height to hob x width x depth (mm)	910 x 596 x 630	910 x 596 x 630	910 x 596 x 630
Height of splashback (mm)	60	60	60
Total height (mm)	970	970	970
electrical connections			
Туре	Hardwire	20A plug	20A plug
Maximum power rating (kW)	4.4	4.4	4.4
Maximum gas rating (MJ)	-	41.2	41.2

SPECIFICATIONS

60cm freestanding cookers

with separate grill





eatures [†]			
Cutul 63	WFE642SC/WC	WFE612SC	
Гуре	electric, separate grill	dual fuel, separate grill	
Available finishes	stainless steel, white	stainless steel	
Controls	knob	knob	
Controls Location	front	front	
key features			
AirFry			
Separate grill	✓	─	
Separate grill type	electric	electric	
Timer	2 hour mechanical timer, ringer	2 hour mechanical timer, ringer	
Dual zone (ceramic cooktop)	✓		
Made in Australia	√	√	
oven			
Туре	Electric, fan forced	Electric, fan forced	
Gross capacity, main oven (L)	80	80	
Gross capacity, separate grill (L)	46	46	
Oven light	✓	✓	
Easy clean formed shelf supports in main oven	· ·	✓	
Easy Clean Removeable Door	√	─	
Door glass layers	2	2	
Oven Ignition (gas oven only)			
Oven flame failure device (gas oven only)			
Oven burner output (MJ/h) (gas oven only)			
cooktop			
Туре	ceramic	gas	
Number of burners / zones	4	4	
Left Front	1000/2200W	14.2 MJ/h (triple ring wok)	
Left Rear	1200W	9.0 MJ/h	
Right Front	1200W	5.1 MJ/h	
Right Rear	1800W	12.1 MJ/h	
Power On Indicator			
Hot surface Indicator	─		
Cooktop Ignition (gas cooktop only)		electronic	
Flame Failure (gas cooktop only)		→	
Trivets (gas cooktop only)		cast iron	
Included Accessories			
AirFry tray	-	-	
Number of wire shelves	2	2	
Number of shelf positions	5	5	
Grill Dish		-	
Baking Tray	✓		
Rack insert (tray/dish)	√		
Side racks L/H (separate grill only)	<u> </u>	-	
Telescopic Slides (separate grill only)	1 set	1 set	
Product Dimensions			
Height to hob x width x depth (mm)	910 x 596 x 630	910 x 596 x 630	
Height of Splashback (mm)	60	60	
Total Height (mm)	970	970	
electrical connections			
Туре	Hardwire	20A plug	
Maximum power rating (kW)	9.6	4.4	
Maximum gas rating (MJ)		41.2	
Grill Power (W)	1800W	1800W	

60cm freestanding cookers

with separate grill





Features[†]

-eatures'	WLE642WC	WLE622WC
Туре	electric, separate grill	electric, separate grill
Available finishes	white	white
Controls	knob	knob
Controls location	rear	rear
key features		
AirFry		
Separate grill		·
	electric	electric
Separate grill type Timer		
	2 hour mechanical timer, ringer ✓	2 hour mechanical timer, ringe
Dual zone (ceramic cooktop)		<i>- ✓</i>
Made in Australia		· · · · · · · · · · · · · · · · · · ·
oven		
Туре	Electric, fan forced	Electric, fan forced
Gross capacity, main oven (L)	80	80
Gross capacity, separate grill (L)	46	46
Oven light		✓
Easy clean formed shelf supports in main oven		√
Easy clean removeable door	√	√
Door glass layers	2	2
Oven Ignition (gas oven only)		
Oven flame failure device (gas oven only)		
Oven harrier failure device (gas oven only) Oven burner output (MJ/h) (gas oven only)		
cooktop		
Туре	ceramic	coil
Number of burners / zones	4	4
Left front	1000/2200W	2050W
Left rear	1200W	1250W
Right front	1200W	2050W
Right rear	1800W	1250W
Power on indicator		
Hot surface indicator	✓	-
Cooktop ignition (gas cooktop only)		
Flame failure (gas cooktop only)		
Trivets (gas cooktop only)		
Included Accessories		
AirFry tray	-	-
Number of wire shelves	2	2
Number of shelf positions	5	5
Grill dish		√
Baking tray		√
Rack insert (tray/dish)	<u> </u>	√
Side racks L/H (separate grill only)	1 set (3 POS)	1 set (3 POS)
Telescopic slides (separate grill only)		-
Draduck Dimensions		
Product Dimensions Height to hob x width x depth (mm)	910 x 596 x 620	910 x 596 x 620
Height to nob x width x depth (mm) Height of splashback (mm)		
	n/a	n/a
Total height (mm)		1150
electrical connections		
Туре	Hardwire	20A plug
Maximum power rating (kW)	9.6	4.4
Maximum gas rating (MJ)	<u> </u>	41.2
	1800W	1800W





43

Features [†]	WFG612SCNG	WFG612WCNG
	WFG612SCLP	WFG612WCNG
Туре	gas, separate grill	gas, separate grill
Available finishes	stainless steel	white
Controls	knob	knob
Controls location	front	front
key features AirFry		
Separate grill		
Separate grill type		
Timer	gas 2 hour mechanical timer, ringer	gas
	2 Hour Mechanical timer, ninger	2 hour mechanical timer, ringer
Dual zone (ceramic cooktop)		
Made in Australia		v
oven		
Туре	gas, with fan	gas, with fan
Gross capacity, main oven (L)	80	80
Gross capacity, separate grill (L)	46	46
Oven light	<u> </u>	✓
Easy clean formed shelf supports in main oven	✓	✓
Easy clean removeable door	√	✓
Door glass layers	2	2
Oven ignition (gas oven only)	Electronic	Electronic
Oven flame failure device (gas oven only)	<u> </u>	✓
Oven burner output (MJ/h) (gas oven only)	11.8MJ/h (NG)	11.8MJ/h
cooktop	920	925
Type	gas	gas 4
Number of burners / zones Left front		
	14.2 MJ/h (triple ring wok)	14.2 MJ/h (triple ring wok)
Left rear	9.0 MJ/h	9.0 MJ/h
Right front	5.1 MJ/h	5.1 MJ/h
Right rear	12.1 MJ/h	12.1 MJ/h
Power on indicator		
Hot surface indicator		
Cooktop ignition (gas cooktop only)	electronic	electronic
Flame failure (gas cooktop only)		✓
Trivets (gas cooktop only)	cast iron	cast iron
Included Accessories		
AirFry tray		-
Number of wire shelves	2	2
Number of shelf positions	5	5
Grill dish	-	-
Baking tray		
Rack insert (tray/dish)	✓	✓
Side racks L/H (separate grill only)		-
Telescopic slides (separate grill only)	1 set	1 set
Product Dimensions		
Height to hob x width x depth (mm)	910 x 596 x 630	910 x 596 x 630
Height of splashback (mm)	60	60
Total height (mm)	970	970
electrical connections		
Туре	10A plug	10A plug
Maximum power rating (kW)	-	-
Maximum gas rating (MJ)	64.1	64.1
		11.1 MJ/h

54cm freestanding cookers







Features[†]

	WFE542SC	WFE512SC	WFE532WC
Туре	electric, separate grill	dual fuel, separate grill	electric, separate grill
Available finishes	stainless steel	stainless steel	white
Controls	knob	knob	knob
Controls location	front	front	front
key features			
Separate grill	√	√	✓
Separate grill type	electric	electric .	electric
Timer		2 hour mechanical timer, ringer	1 hour mechanical time
Made in Australia	2 hour mechanical timer, ringer ✓	∠ Hour mechanical timer, hinger	/ Industriechanical time
oven			
Туре	Electric, fan forced	Electric, fan forced	Electric, fan forced
Gross capacity, main oven (L)	80	80	80
Gross capacity, separate grill (L)	46	46	46
Oven light	→	<u> </u>	√
Easy clean formed shelf supports in main oven	√	√	✓
Easy clean removeable door	√	√	✓
Door glass layers	2	2	2
Oven ignition (gas oven only)			
Oven flame failure device (gas oven only)			
Oven burner output (MJ/h) (gas oven only)			
cooktop			
Туре	ceramic	gas	solid
Number of burners / zones	4	4	4
Left front	1200W	14.2 MJ/h (triple ring wok)	1500W
Left rear	2000W	9.0 MJ/h	2000W
Right front	1200W	5.1 MJ/h	1500W
Right rear	1200W	9.0 MJ/h	1000W
Power on indicator	✓	· ·	✓
Hot surface indicator	✓		
Cooktop ignition (gas cooktop only)		electronic	
Flame failure (gas cooktop only)		─	
Trivets (gas cooktop only)		cast iron	
Included Accessories			
Number of wire shelves	2	2	2
Number of shelf positions	5	5	5
Grill dish	√	<u> </u>	✓
Baking tray			
Side racks L/H (separate grill only)			1 set (3 POS)
Telescopic slides (separate grill only)	1 set	1 set	
Rack insert (tray/dish)	✓	✓	✓
Product Dimensions			
Height to hob x width x depth (mm)	910 x 540 x 620	910 x 540 x 620	910 x 540 x 620
Height of Splashback (mm)	60	60	60
Total Height (mm)	970	970	970
electrical connections			
Туре	Hardwire	20A Plug & lead	Hardwire
Maximum power rating (kW)	9.6kW	4	10.6
Maximum gas rating (MJ)		37.5MJ	
Grill power (W)	1800W	1800W	1800W







Features[†]

Controls location key features Separate grill Separate grill type Timer	electric, separate grill white knob	electric, separate grill white	electric, separate grill
Available finishes Controls Controls location key features Separate grill Separate grill type	white		
Controls location key features Separate grill Separate grill type Timer	knob		white
Controls location key features Separate grill Separate grill type Timer		knob	knob
Separate grill Separate grill type Timer	rear	rear	rear
Separate grill Separate grill type Timer			
Separate grill type Timer			
Timer	√	✓	√
	electric	electric	electric
Made in Australia	Programmable 3 button clock timer	1 hour mechanical timer	1 hour mechanical timer
	✓	✓	✓
oven			
Туре	Electric, fan forced	Electric, fan forced	Electric, fan forced
Gross capacity, main oven (L)	80	80	80
Gross capacity, main even (E)	46	46	46
Oven light			
Easy clean formed shelf supports in main oven	· · · · · · · · · · · · · · · · · · ·		
Easy clean removeable door	2	2	2
Door glass layers			<u>Z</u>
Oven figure failure devices (gas a una aplu)			
Oven flame failure device (gas oven only)			
Oven burner output (MJ/h) (gas oven only)			
cooktop			
Туре	ceramic	solid	coil
Number of burners / zones	4	4	4
Left front	1200W	1000W	1250W
Left rear	2000W	1500W	1250W
Right front	1200W	2000W	2050W
Right rear	1200W	1000W	1250W
Power on indicator	✓	✓	✓
Hot surface indicator	√		
Cooktop ignition (gas cooktop only)			
Flame failure (gas cooktop only)			
Trivets (gas cooktop only)			
Included Accessories			
	2	2	2
Number of wire shelves		2	2
Number of shelf positions	<u>5</u>	5 ✓	5
Grill dish			
Baking tray	1+ (7 DOC)	1	
Side racks L/H (separate grill only)	1 set (3 POS)	1 set (3 POS)	
Telescopic slides (separate grill only)			1 set
Rack insert (tray/dish)	✓	√	✓
Product Dimensions			
Height to hob x width x depth (mm)	910 x 540 x 620	910 x 540 x 620	910 x 540 x 620
Height of splashback (mm)			60
Total height (mm)	1150	1150	970
electrical connections			
Type	Hardwire	Hardwire	Hardwire
Maximum power rating (kW)	9.7kW	9.1kW	9.6kW
Maximum gas rating (MJ)			5.5
Grill power (W)	1800W	1800W	1800W

SPECIFICATIONS


54cm freestanding cookers





Features[†]

	WLG510WC	WLG512WC
Туре	gas, separate grill	gas, separate grill
Available finishes	white	white
Controls	knob	knob
Controls location	front	front
CONTROLS IOCATION		- Hone
key features		
Separate grill	<u> </u>	
Separate grill type	gas	gas
Timer		1 hour mechanical timer
Made in Australia	✓	√
oven		
Туре	Conventional, gas	Conventional, gas with fan
Gross capacity, main oven (L)	80	80
Gross capacity, separate grill (L)	46	46
Oven light		-
Easy clean formed shelf supports in main oven		
Easy clean removeable door		· · · · · · · · · · · · · · · · · · ·
Door glass layers	2	2
Oven ignition (gas oven only)	Manual	Electronic
Oven flame failure device (gas oven only)		<i>-</i>
Oven burner output (MJ/h) (gas oven only)	11.8 MJ/h	11.8MJ/h
cooktop		
Туре	gas	gas
Number of burners / zones	4	4
Left front	12.1MJ/h	14.2 MJ/h (triple ring wok)
Left rear	9.0 MJ/h	9.0 MJ/h
Right front	5.1 MJ/h	5.1 MJ/h
Right rear	9.0 MJ/h	9.0 MJ/h
Power on indicator		
Hot surface indicator		
Cooktop ignition (gas cooktop only)		electronic
Flame failure (gas cooktop only)		-
Trivets (gas cooktop only)	enamel	enamel
Included Accessories		
Number of wire shelves	2	2
Number of shelf positions		
Grill dish		
Baking tray	<u> </u>	
Side racks L/H (separate grill only)	1 set (3 POS)	1 set (3 POS)
	1 Set (3 FO3)	1 501 (3 FO3)
Telescopic slides (separate grill only) Rack insert (tray/dish)		-
radio indic (tray/abit)	· · · · · · · · · · · · · · · · · · ·	•
Product Dimensions		
Height to hob x width x depth (mm)	910 x 540 x 620	910 x 540 x 620
Height of splashback (mm)		
Total height (mm)	1150	1150
electrical connections		
	Hardwire	20A Plug & lead
	nardwire	ZUA Piug a iedū
Type Maximum power rating (I/M)	10.6	A
Maximum power rating (kW) Maximum gas rating (MJ)	10.6	4 37.5MJ



elevated freestanding cookers





Features[†]

	WDG110WCNG-L/R	WDG112WCNG-L/R
Туре	gas, elevated	gas, elevated
Available finishes	white	white
Controls	knob	knob
Controls location	front	front
Door opening	left	left side
key features		
Separate grill	<u> </u>	✓
Separate grill type	gas	gas
Timer	1 hour mechanical timer, ringer	✓
Made in Australia	✓	✓
oven		
Туре	Conventional, gas	Conventional, gas with fan
Gross capacity (L)	80	80
Oven light		✓
Easy clean formed runner shelf support	✓	✓
Easy clean removeable door		✓
Door glass layers	2	2
cooktop		
Туре	gas	gas
Number of burners / zones	4	4
Left front	12.1MJ/h	12.1MJ/h
Left rear	9.0 MJ/h	9.0 MJ/h
Right front	5.1 MJ/h	5.1 MJ/h
Right rear	9.0 MJ/h	9.0 MJ/h
Power on indicator		
Hot surface indicator		
Cooktop ignition (gas cooktop only)	manual	electronic
Flame failure (gas cooktop only)	✓	✓
Trivets (gas cooktop only)	enamel	enamel
Included Accessories		
Number of wire shelves	2	2
Number of shelf positions	2	2
Grill dish	✓	✓
Side racks L/H (separate grill only)	1 set (3 POS)	1 set (3 POS)
Rack insert (tray/dish)	✓	✓
Product Dimensions		
Height to hob x width x depth (mm)	320 x 1085 x 620	320 x 1085 x 620
Total height (mm)	544	544





Features[†]

	WDE132WC-L/R	WDE143WC-L/R
	WDE132WC E/R	WDE143WC L/K
Туре	electric, elevated	electric, elevated
Available finishes	white	white
Controls	knob	knob
Controls location	front	front
Door opening	left side	left side
key features		
Separate grill	✓	✓
Separate grill type	electric	electric
Timer	1 hour mechanical timer, ringer	Programmable 3 button clock time
Made in Australia	✓	√
oven		
Туре	Electric, fan forced	Electric, fan forced
Gross capacity (L)	80	80
Oven light	√	-
Easy clean formed runner shelf support	<u> </u>	-
Easy clean removeable door	√	-
Door glass layers	2	2
cooktop		
Туре	solid	ceramic
Number of burners / zones	4	4
Left front	1500W	1200W
Left rear	1500W	2000W
Right front	2000W	1200W
Right rear	1000W	1200W
Power on indicator	─	- ✓
Hot surface indicator		√
Cooktop ignition (gas cooktop only)		
Flame failure (gas cooktop only)		
Trivets (gas cooktop only)		
Included Accessories		
Number of wire shelves	2	2
Number of shelf positions	2	2
Grill dish	√	√
Side racks L/H (separate grill only)	1 set (1 POS)	1 set (1 POS)
Rack insert (tray/dish)	· · · · · · · · · · · · · · · · · · ·	✓ ·
Product Dimensions		
Height to hob x width x depth (mm)	320 x 1085 x 620	320 x 1085 x 620
Total height (mm)	544	544
~ ** **		_ - · · ·





Contact us if you need more help

Australia

telephone: 13 13 49

email: customercare@electrolux.com.au

web: westinghouse.com.au

New Zealand

telephone: 0800 436 245

email: customercare@electrolux.co.nz

web: westinghouse.co.nz

We invite you to follow Westinghouse appliances and get involved in the conversation.

Warranty

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the Appliances featured in this brochure are free from defects in materials and workmanship for 2 years and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the FairTrading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

† Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Electrolux will at all times comply with its obligations pursuant to law. Colours of products illustrated are as close as printing limitations allow.