## Catalogue No: CEP7-1EEBB

## OVERLOAD ELECTRONIC CEP7-1 BASIC 0.2-1.0A FOR CA7-9/23

Motor Control and Drives > Motor Starting and Protection > Motor Protection > Sprecher + Schuh Overloads > CEP7





Representative Photo Only (actual product may vary based on configuration selections)

**SPECIFICATIONS** 

## OVERLOAD ELECTRONIC CEP7-1 BASIC 0.2-1.0A FOR CA7-9/23

- CEP7-1EE: Trip Class 10 and 20, manual reset only
- CEP7-1EF: Trip Class 10, 15, 20, 30, manual or automatic reset
- 5:1 wide current adjustment range to cover a variety of motor applications
- Supports both single and three-phase operation in a single component
- A variety of accessories available for enhanced protection
- Current measurement-based protection
- Electronic design and therman memory
- Phase loss protection
- Self-powered and direct-mount design with CA7 contactors

Product Series		Sprecher + Schuh
Component Type Motor Con	trol and Drives	Electronic Overload
Adjustment		5:1
Current Range (A)		0.2 - 1.0
Approx kW		0.06-0.25
kW Rating, AC-3, 415V, Min		0.06 kW @415V min
kW Rating, AC-3, 415V, Max	(	0.25 kW @415V max
Motor FLC, Min		0.2 A, min
Motor FLC, Max		1 A, max
Trip Class		Adjustable 10, 20
Reset		Manual Only
Manual Reset		Yes Y/N
Rated Operation Voltage		690 V AC
REFERENCES		
IECEx Certificate	-	
Supplier Declaration of Conformity:	-	
Installation Guide:	-	
User Manual:	-	
User Manual:  Manufacturer Datasheet:	-	

