

Product Characteristics

MILWAUKEE M18FH-0

M18 FUEL 26MM SDS PLUS ROTARY HAMMER (TOOL ONLY)

Our Number:	MWKM18FH-0	Supplier Number:	M18FH-0
EAN Number:	4892210196590		

Product Description

The M18 FUEL 26 mm SDS Plus Rotary Hammer delivers fast drilling, hard-hitting performance and maximum control for productivity on the jobsite. Designed to achieve top performance with only moderate pressure, the rotary hammer is compatible with all M18 REDLITHIUM-ION batteries and is optimised for use with M18 REDLITHIUM-ION HIGH OUTPUT 6.0Ah batteries (sold separately). The POWERSTATE Brushless Motor delivers users 2.7 J of impact energy, 1,330 RPM, and 4,800 BPM, providing speed and power in the most demanding applications. REDLINK PLUS Intelligence tool technology ensures maximum rotary drill performance and protects the tool from overload, overheating, and over-discharge. The MILWAUKEE M18 FUEL 26 mm SDS Plus Rotary Hammer includes AUTOSTOP Kickback Control for maximum control and enhanced safety, with the tool sensing a bind-up situation when users are drilling in rebar or hard aggregate and stopping over-rotation, without the need for the user to release the trigger, indicated by the AUTOSTOP Indicator LED. The Anti-Vibration System (AVS) minimises vibration for maximum comfort when in use for extended periods. A Dedicated Dust Extractor (M18FDEX) is also available (sold separately), which once connected is powered by the Rotary Hammer.



Technical Specifications

Attribute Name	Attribute Value
Weight without battery-pack	3.1
Length	296
Nominal voltage	18 V
Max. blow count	4,880 1/min

Classifications	
ETIM	EC001367
UNSPSC	

Create Date: 26/04/2023

Disclaimer

For use on datasheets that are created by Rexel

The information in this document is intended to provide a brief summary of our knowledge of this product. It has been compiled from sources we believed at the time of compilation to be reliable and accurate. It is not meant to be an exhaustive and complete document about the product. Rexel does not warrant that it is accurate, complete or up to date.

Each user of this information needs to verify (including by its own risk analysis, evaluation and testing) the product's characteristics and features in light of its particular intended use for the product. Each user should, before purchasing this product and before use, obtain the latest relevant information from the manufacturer, details of which can be provided by the Rexel Australia group.

The Rexel Australia group excludes all warranties or guarantees implied by law, and all liability for any error, inaccuracy, loss or damage resulting from the use of this information. No rights to reproduce this document are granted by the publication of this document. This publication may be changed at any time.