



UNIFIT rippleSHIELD S9053WP/RS - 9W

Dimmable 9 watt LED module, with selectable CCT and rippleSHIELD

Application

Ideal for any residential or commercial interior space, experiencing nuisance ripple induced flicker

Design Specifications

- Combined with the SAL SDD400SFI rippleSHIELD dimmer, the rippleSHIELD Unifit series eliminates nuisance ripple induced flicker between 750-1050Hz once and for all, typically found in the QLD and NSW regions.
- Remote rippleSHIELD dimmable LED driver, with smooth dimming performance down to 1.0% of light output, designed with flex & plug
- High output LED optics, 3000K CCT, CRI>80
- A comprehensive range of downlight trims are available, see MIX & MATCH model numbers
- Double insulated
- Need more info.....slide to the FAQ's below



Performance

- Dimmable - **YES**
- Dimmer Type - **dim only with SDD400SFI**



Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	Beam Angle (°)
	S9053WP/SFI	240	9	700	3000	60
	S9008WW/WH/SFI	240	9	700	3000	60
	S9008WW/BK/SFI	240	9	700	3000	60
	S9009WW/WH/SFI	240	9	700	3000	60
	S9009WW/BK/SFI	240	9	700	3000	60
	S9011WW/WH/SFI	240	9	700	3000	60
	S9011WW/BK/SFI	240	9	700	3000	60
	SDD400SFI	240	250			


Dimmable	CRI	Body Colour	Cut Out (mm)	Diameter (mm)	Dim (mm)
YES	80			50	60(H)
YES	80	MATT WHITE	76	82	80(H)
YES	80	MATT BLACK	76	82	80(H)
YES	80	MATT WHITE	76	82	80(H)
YES	80	MATT BLACK	76	82	80(H)
YES	80	MATT WHITE	92	102	95(H)
YES	80	MATT BLACK	92	102	95(H)
YES		WHITE CAP			42(L) x 24(W) x 24(H)

Patent pending

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions

s9053



MIX AND MATCH THE TRIM PROFILES

