CONDUIT BUSHES

CONDUIT BUSHES







- Multi purpose conduit bush, can be used together to present a gluing surface for Conduit
- For penetrating a metal or plastic enclosure or panel
- Female thread used by itself with an external male thread
- · Male thread used by itself with an external female thread

Part No.	Description	Unit	Qty
BUSH20	BUSH M + F 20MM	PAK	20
BUSH25	BUSH M + F 25MM	PAK	20
BUSH32	BUSH M + F 32MM	PAK	10

CONDUIT FIXINGS

GAL FULL SADDLES





• Zinc plated full saddles are ideal for indoor and outdoor applications.






Part No.	Description	Unit	Qty
FS16-P	CONDUIT FULL SADDLE ST ZINC GAL PL 16MM	BOX	50
FS20-P	CONDUIT FULL SADDLE ST ZINC GAL PL 20MM	BOX	50
FS25-P	CONDUIT FULL SADDLE ST ZINC GAL PL 25MM	BOX	50
FS32-P	CONDUIT FULL SADDLE ST ZINC GAL PL 32MM	BOX	50
FS40-P	CONDUIT FULL SADDLE ST ZINC GAL PL 40MM	BOX	50
FS50-P	CONDUIT FULL SADDLE ST ZINC GAL PL 50MM	BOX	50

HOT DIP GAL FULL SADDLE





• Superior mechanical strength and corrosion protection



Part No.	Description	Unit	Qty
FS16HDG	CONDUIT FULL SADDLE HOT DIP GAL 16MM	PAK	10
FS20HDG	CONDUIT FULL SADDLE HOT DIP GAL 20MM	PAK	10
FS25HDG	CONDUIT FULL SADDLE HOT DIP GAL 25MM	PAK	10
FS32HDG	CONDUIT FULL SADDLE HOT DIP GAL 32MM	PAK	10
FS40HDG	CONDUIT FULL SADDLE HOT DIP GAL 40MM	PAK	10
FS50HDG	CONDUIT FULL SADDLE HOT DIP GAL 50MM	PAK	10

STAINLESS STEEL FULL SADDLES





- 316-grade stainless steel full saddle
- Superior mechanical strength and corrosion protection
- Suitable for conduit installations in high corrosive environments
- Water treatment plants, marine applications, food prep environments

Part No.	Description	Unit	Qty
FS16SS	CONDUIT FULL SADDLE SS 316 16MM	PAK	10
FS20SS	CONDUIT FULL SADDLE SS 316 20MM	PAK	10
FS25SS	CONDUIT FULL SADDLE SS 316 25MM	PAK	10
FS32SS	CONDUIT FULL SADDLE SS 316 32MM	PAK	10
FS40SS	CONDUIT FULL SADDLE SS 316 40MM	PAK	10
FS50SS	CONDUIT FULL SADDLE SS 316 50MM	PAK	10
FS63SS	CONDUIT FULL SADDLE SS 316 63MM	PAK	10

GAL HALF SADDLES



- Used to secure and mount electrical cables and conduits to a variety of work surfaces.
- Quick and easy installation.
- Zinc plated half saddles are ideal for indoor and outdoor applications.

Part No.	Description	Unit	Qty
HS20-5-P	HALF SADDLE METAL 20MM 5MM HOLE	BOX	100
HS25-5-P	HALF SADDLE METAL 25MM 5MM HOLE	BOX	100
TRIHS20-P	HALF SADDLE METAL 20MM 6.5MM HOLE	BOX	100
TRIHS25-P	HALF SADDLE METAL 25MM 6.5MM HOLE	BOX	100
TRIHS32-P	HALF SADDLE METAL 32MM	BOX	50
TRIHS40-P	HALF SADDLE METAL 40MM	BOX	50

HOT DIP GAL HALF SADDLE



- Hot dipped galvanised steel half saddle
- Superior mechanical strength and corrosion protection
- Suitable for conduit installations in highly corrosive environments

Part No.	Description	Unit	Qty
HS16HDG	CONDUIT HALF SADDLE HOT DIP GAL 16MM	PAK	10
HS20HDG	CONDUIT HALF SADDLE HOT DIP GAL 20MM	PAK	10
HS25HDG	CONDUIT HALF SADDLE HOT DIP GAL 25MM	PAK	10
HS32HDG	CONDUIT HALF SADDLE HOT DIP GAL 32MM	PAK	10
HS40HDG	CONDUIT HALF SADDLE HOT DIP GAL 40MM	PAK	10
HS50HDG	CONDUIT HALF SADDLE HOT DIP GAL 50MM	PAK	10

STAINLESS STEEL HALF SADDLES





- 316-grade stainless steel half saddle
- Superior mechanical strength and corrosion protection
- Suitable for conduit installations in high corrosive environments
- Water treatment plants, marine applications, food prep environments

Part No.	Description	Unit	Qty
HS16SS	CONDUIT HALF SADDLE SS 316 16MM	PAK	10
HS20SS	CONDUIT HALF SADDLE SS 316 20MM	PAK	10
HS25SS	CONDUIT HALF SADDLE SS 316 25MM	PAK	10
HS32SS	CONDUIT HALF SADDLE SS 316 32MM	PAK	10
HS40SS	CONDUIT HALF SADDLE SS 316 40MM	PAK	10
HS50SS	CONDUIT HALF SADDLE SS 316 50MM	PAK	10

METAL HALF SADDLES WITH NAIL





- Used to secure and mount electrical cables and conduits to a variety of work surfaces.
- · Quick and easy installation.
- Zinc plated half saddles are ideal for indoor and outdoor applications.

Part No.	Description	Unit	Qty
HS20N-P	HALF SADDLE ST ZINC GAL 20MM W/NAIL	BOX	50
HS25N-P	HALF SADDLE ST ZINC GAL 25MM W/NAIL	BOX	50

PVC FULL SADDLES



- Used for fixing or mounting conduits to surfaces
- PVC full saddles are suitable for indoor and outdoor applications
- Grey colour

