



### Main

Product or component type	Terminal extension
Product compatibility	LC1G115...225

### Complementary

Poles description	3P
Height	60 mm
Width	90 mm
Depth	105 mm
Net weight	0.3 kg
Quantity per set	Set of 2

### Environment

IP degree of protection	IP20 conforming to IEC 60529 (with terminal shields)
Pollution degree	3 conforming to IEC 60947-1
Operating altitude	3000 m without derating 5000 m with derating factor
Standards	EN/IEC 60947-4-1 UL 60947-4-1 CSA C22.2 No 60947-4-1 GB/T 14048.4
Product certifications	CE UKCA cULus
Ambient air temperature for operation	-25...60 °C
Ambient air temperature for storage	-60...80 °C

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	767.0 g
Package 1 Height	12.6 cm
Package 1 width	13.9 cm
Package 1 Length	20.5 cm
Unit Type of Package 2	S02
Number of Units in Package 2	3
Package 2 Weight	2.678 kg
Package 2 Height	15 cm
Package 2 width	30 cm
Package 2 Length	40 cm

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
PVC free	Yes
Halogen content performance	Halogen free plastic parts product







