Remote Wear Diagnostic Module (NC) for TeSys Giga contactor LC1G





Main

D	T.O.:
Range	TeSys
Device short name	LA9G
Product or component type	Function module

Complementary

Complementary		
Mounting location	Тор	
Main function available	Remote alarm	
Auxiliary contact composition	1 NC	
[lth] conventional free air thermal current	5 A	
Connection pitch	5.08 mm	
Height	91.5 mm	
Width	30 mm	
Depth	50 mm	
Net weight	0.1 kg	
Quantity per set	Set of 1	

Environment

Environment	
Pollution degree	3 conforming to IEC 60947-1
Standards	EN/IEC 60947-5-1
	UL 60947-5-1
	CSA C22.2 No 60947-5-1
	GB/T 14048.5
Ambient air temperature for operation	-2560 °C
Ambient air temperature for storage	-6080 °C
Operating altitude	3000 m without derating
	5000 m with derating factor
IP degree of protection	IP20 conforming to IEC 60529

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Weight	91.0 g	
Package 1 Height	6 cm	
Package 1 width	6 cm	
Package 1 Length	8.3 cm	
Unit Type of Package 2	S02	
Number of Units in Package 2	32	
Package 2 Weight	3.313 kg	
Package 2 Height	15 cm	

Package 2 width	30 cm
Package 2 Length	40 cm

Offer Sustainability

Sustainable offer status	Green Premium product	
REACh Regulation	[™] REACh Declaration	
EU RoHS Directive	Compliant E EU RoHS Declaration	
Mercury free	Yes	
RoHS exemption information	₫Yes	
China RoHS Regulation	China RoHS Declaration	
PVC free	Yes	
Halogen content performance	Halogen free plastic parts product	

Product data sheet Montage et périmètre de sécurité