





Enhance your living experience with Martec®

After more than five decades Martec® has become one of Australia's leading providers of cooling, lighting, heating and exhaust products. Our focus has always been on providing our customers with the highest quality, best in class and competitively priced products and solutions to suit every lifestyle.

Our relentless dedication to continuing development, puts Martec® at the forefront of innovation and design. As a result, **Martec® Avoca – our newly released smart DC Ceiling Fan** is here to provide convenience and comfort at your home. And with a new trending colour added to the **Metro** and **Newport** range. We have a solution to meet your needs and enhance your living experience.

The Martec® Promise

A strong commitment to the principles of quality, service and attention to detail ensures we transform these values into unique and dynamic outcomes that are second to none. In order to attain and maintain these objectives, Martec® has implemented a quality management process and system which meets the requirements of AS/NZS ISO 9001. In summary, Martec® is committed to providing an unrivalled product and service offer to its many valued customers.

CONTENTS

DC CEILING FANS



AC CEILING FANS





ACCESSORIES







Downrods p.80

Remote Control p.76

DC/AC Wall Controller p.78

WARRANTY GUIDE





*3 Year In-home + additional 3 Years on the motor only



REMOTE CONTROL/ WALL CONTROLLER

1 Year In-home warranty



ACCESSORIES

1 Year Replacement warranty

^{*}Please refer website for additional warranty information.


CEILING FAN SIZE GUIDE

		ı	ROOM SIZE / TYPE	1		
Ceiling Fan (DC / AC)		Study / Small Bedroom	Office / Medium Bedroom / Small Living Room	Large Bedroom / Large Living Room / Home Theatre	Rumpus Room / Large Living Room	
		Up to 12m ² (3.5m x 3.5m)	Up to 18m ² (4m x 4.5m)	Up to 30m² (5m x6m)	Up to 40m ² (6.5m x 6m)	
	Avoca		✓	✓		
	Viper		✓	✓		
	Metro	✓	✓	✓		
an	Newport	✓	✓	✓	✓	
DC Ceiling Fan	Malibu	✓	✓	✓		
ilin	Wave	✓	✓	✓	✓	
ŭ	Scorpion	✓	✓	✓		
ŏ	Albatross	Recommended	d for large combined living a	nd dinning areas. Alfresco a	and BBQ areas.	
	Albatross Mini	Recommended for large combined living and dinning areas. Alfresco and BBQ areas.				
	Link	✓	✓			
	Lifestyle	✓	✓	✓		
	Discovery II	✓	✓			
	Elite	✓	✓	✓	✓	
	Governor	✓	✓	✓		
	Triumph	✓	✓			
п	Flush	✓	✓	✓	✓	
g F	Liberty IP55	✓	✓	✓		
ilin	Link	✓	✓			
AC Ceiling Fan	Lifestyle	✓	✓	✓		
	Lifestyle Mini	✓				
	Razor	✓	✓			
	Oasis	✓	✓			
	Hamilton	✓	✓			
	Precision	✓	✓	✓	✓	

CEILING FAN APPLICATION GUIDE

			APPLICATION		
Ceil (DC	ing Fan / AC)	Indoor Use	Covered Outdoor	Tropical Rated	Coastal Rated
	Avoca	✓	✓		
	Viper	✓	✓	✓	
	Metro	✓	✓		
=	Newport	✓	✓		
g Fa	Malibu	✓	✓		
DC Ceiling Fan	Wave	✓	✓		
ce	Scorpion	✓	✓		
ă	Albatross	✓	✓		
	Albatross Mini	✓	✓		
	Link	✓	✓		
	Lifestyle	✓	✓		
	Discovery II	✓	✓	✓	
	Elite	✓	✓		
	Governor	✓	✓		
	Triumph	✓	✓		
an	Flush	✓	✓		
Jg F	Liberty IP55	✓	✓	✓	✓
eii	Llnk	✓	✓		
AC Ceiling Fan	Lifestyle	✓	✓		
	Lifestyle Mini	✓			
	Razor	✓	✓		
	Oasis	✓	✓		
	Hamilton	✓	✓		
	Precision	✓	✓	✓	✓





DC CEILING FANS

ADVANTAGES OF DC MOTOR CEILING FANS

High Efficiency	DC motors on average consume less energy than conventional ceiling fan motors.
Speed Control	DC motor controllers provide up to 5 speed settings and an easy to use reversing function for summer and winter operation.
Light Weight	DC motors weigh less than conventional fan motors, resulting in a lighter product that is easier to install for electricians.
Quiet Operation	DC motors are very quiet when in operation, ideal for bedrooms.
Remote Control / Wall Controller	DC Ceiling fans can be operated via a DC remote control (supplied) or wall controller.




Hey Google, turn the fan on...



AVOCA NEW

Smart and Wi-Fi connectivity




Smart and Wi-Fi connectivity

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	45W	45W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr	10,5	30m³/hr
BLADE PITCH		10°
LIGHTING WATTAGE / TYPE	-	20W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	2200lm / 2500lm / 2200lm
RATED LIFETIME	-	50,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MADC133WWR	MADC1333WWR
MATT BLACK	MADC133MMR	MADC1333MMR
MATT WHITE/OAK	MMDC133WOR	MMDC1333WOR

- 1320mm (52") DC ceiling fan
- Brushless quiet and efficient 45W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- ABS body and steel canopy with 3 ABS blades
- Fully reversible for summer and winter mode from remote control
- Tricolour LED light models available
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M





FAN LED LIGHT

VIPER


Best-in-class airflow



- 1320mm (52") DC ceiling fan
- Brushless quiet and efficient 40W DC motor
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- ABS body and canopy with 3 ABS blades
- Fully reversible for summer and winter mode from remote control
- Tricolour LED light models available
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	40W	40W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr	17,64	Om³/hr
BLADE PITCH	14°	
LIGHTING WATTAGE / TYPE	-	18W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1880lm / 2120lm / 2020lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE SATIN	MVDC133WSR	MVDC1333WSR
MATT BLACK	MVDC133MMR	MVDC1333MMR

ACCESSORIES	ORDERING CODE
900mm Downrod White Satin 25mm Dia	MDRD36WST
900mm Downrod Matt Black 25mm Dia	MDRD36MT
1800mm Downrod White Satin 25mm Dia	MDRD72WST
1800mm Downrod Matt Black 25mm Dia	MDRD72MT





FAN LED LIGHT


METRO

Low ceiling solution



- 1320mm (52") DC ceiling fan
- Brushless quiet and efficient 35W DC motor
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Fully reversible for summer and winter mode from remote control
- Must be installed on a flat level surface
- Tricolour LED light models available
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	35W	35W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr	14,20	0m³/hr
BLADE PITCH	1:	2°
LIGHTING WATTAGE / TYPE	-	15W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1450lm / 1650lm / 1600lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE SATIN	MMDC133WSR	MMDC1333WSR
MATT BLACK	MMDC133MMR	MMDC1333MMR
WHITE/OAK	MMDC133WOR	MMDC1333WOR




FAN ONLY



FAN LED LIGHT

NEWPORT


Contemporary style



- 1420mm (56") DC ceiling fan
- Brushless quiet and efficient 35W DC motor
- Contemporary style ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Fully reversible for summer and winter mode from remote control
- Tricolour LED light models available
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	35W	35W
BLADE DIAMETER	1420mm (56")	1420mm (56")
AIR MOVEMENT m³/hr	13,0	000m³/hr
BLADE PITCH		20°
LIGHTING WATTAGE / TYPE	-	15W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1700lm / 1750lm / 1780lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE SATIN	MNF143WWR	MNF1433WWR
MATT BLACK	MNF143MMR	MNF1433MMR
OLD BRONZE/OAK	MNF143OWR	MNF1433OWR
WHITE/OAK	MNF143WOR	MNF1433WOR

ACCESSORIES	ORDERING CODE
900mm Downrod White Satin 25mm Dia	MDRD36WST
900mm Downrod Matt Black 25mm Dia	MDRD36MT
900mm Downrod Old Bronze 25mm Dia	MDRD36OT
1800mm Downrod White Satin 25mm Dia	MDRD72WST
1800mm Downrod Matt Black 25mm Dia	MDRD72MT
1800MM Downrod Old Bronze 25mm Dia	MDRD72OT





FAN ONLY FAN LED LIGHT

MALIBU


Slim by design



- 1320mm (52") DC ceiling fan
- Brushless quiet and efficient 32W DC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Fully reversible for summer and winter mode from remote control
- Tricolour LED light models available
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	32W	32W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr	10,20	00m³/hr
BLADE PITCH	2	20°
LIGHTING WATTAGE / TYPE	-	15W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1450lm / 1650lm / 1600lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE SATIN	MMF133WWR	MMF1333WWR
MATT BLACK	MMF133MMR	MMF1333MMR
OLD BRONZE/WALNUT	MMF133OWR	MMF1333OWR

ACCESSORIES	ORDERING CODE
900mm Downrod White Satin 25mm Dia	MDRD36WST
900mm Downrod Matt Black 25mm Dia	MDRD36MT
900mm Downrod Old Bronze 25mm Dia	MDRD36OT
1800mm Downrod White Satin 25mm Dia	MDRD72WST
1800mm Downrod Matt Black 25mm Dia	MDRD72MT
1800MM Downrod Old Bronze 25mm Dia	MDRD72OT









Dia 150mm

Dia 1320mm

WAVE

Sleek and modern







- Available in 1320mm (52") and 1520mm (60")
- Brushless quiet and efficient 35W DC motor
- Robust industrial designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Fully reversible for summer and winter mode from remote control
- Tricolour LED light models available
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode

SPECIFICATIONS	FAN (ONLY	FAN LEI	D LIGHT
POWER WATTAGE	35W	35W	35W	35W
BLADE DIAMETER	1320mm (52")	1520mm (60")	1320mm (52")	1520mm (60")
AIR MOVEMENT m³/hr	12,500m³/hr	13,500m³/hr	12,500m³/hr	13,500m³/hr
BLADE PITCH	1:	3°	1:	3°
LIGHTING WATTAGE / TYPE	-	-	18W	LED
COLOUR TEMPERATURE	-	-	3000K / 400	00K / 5000K
LUMEN OUTPUT	-	-	1850lm / 210	0lm / 2000lm
RATED LIFETIME	-	-	35,000 hrs	@ Ta25°C
ORDERING CODE	FAN	ONLY	FAN LEI	D LIGHT
WHITE SATIN	MWF133WSR	MWF163WSR	MWF1333WSR	MWF1633WSR
MATT BLACK	MWF133MMR	MWF163MMR	MWF1333MMR	MWF1633MMR

ACCESSORIES	ORDERING CODE
900mm Downrod White Satin	MDRD36WS
900mm Downrod Matt Black	MDRD36M
1800mm Downrod White Satin	MDRD72WS
1800mm Downrod Matt Black	MDRD72M



FAN ONLY



FAN LED LIGHT

SCORPION


Robust design




- 1320mm (52") DC ceiling fan
- Brushless quiet and efficient 38W DC motor
- Robust industrial designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Fully reversible for summer and winter mode from remote control
- Tricolour LED light models available
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	38W	38W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr	12,000m³/hr	
BLADE PITCH	13°	
LIGHTING WATTAGE / TYPE	-	24W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	2250lm / 2650lm / 2550lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE SATIN	MSF133WR	MSF1333WR
MATT BLACK	MSF133MR	MSF1333MR
BRUSHED NICKEL	MSF133BR	MSF1333BR

ACCESSORIES	ORDERING CODE
900mm Downrod White Satin	MDRD36WS
900mm Downrod Matt Black	MDRD36M
900mm Downrod Brushed Nickel	MDRD36N
1800mm Downrod White Satin	MDRD72WS
1800mm Downrod Matt Black	MDRD72M





FAN LED LIGHT



ALBATROSS

Large fan leader























FAN LED LIGHT





5 Speed Remote Control, Light and Timer





ALBATROSS

Large fan leader

NB: Motor and blades are sold separately. Choose your motor (Step 1) and blade pack (Step 2) from below to order a complete unit.

Step 1.


SPECIFICATIONS	MOTOR ONLY	MOTOR LED LIGHT
POWER WATTAGE	35W	35W
LIGHTING WATTAGE / TYPE	-	24W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	2180lm / 2560lm / 2470lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE	MAFWWR	MAFML3WWR
MATT BLACK	MAFMMR	MAFML3MMR
BRUSHED NICKEL	MAFMBR	MAFML3MBR

Step 2.

SPECIFICATIONS	BLADE PACK	
BLADE DIAMETER	1800mm (72")	2100mm (84")
AIR MOVEMENT m³/hr	15,600m³/hr	16,800m³/hr
BLADE PITCH	17°	
ORDERING CODE		
WHITE	MAF180W	MAF210W
MATT BLACK	MAF180M	MAF210M
BRUSHED NICKEL	MAF180B	MAF210B

- Available in 1800mm (72") and 2100mm (80")
- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor, large area and covered outdoor applications
- Fully reversible for summer and winter mode from remote control
- Tricolour LED light models available
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRD36W
900mm Downrod Matt Black	MDRD36M
900mm Downrod Brushed Nickel	MDRD36N
1800mm Downrod White	MDRD72W
1800mm Downrod Matt Black	MDRD72M



FAN ONLY



FAN LED LIGHT

ALBATROSS MINI

Hi flow for smaller spaces








- 1650mm (65") DC ceiling fan
- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor and covered outdoor applications
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control and timer up to 8 hour timer control mode

SPECIFICATIONS	FAN ONLY
POWER WATTAGE	35W
BLADE DIAMETER	1650mm (65")
AIR MOVEMENT m³/hr	14,400m³/hr
BLADE PITCH	17°
ORDERING CODE	FAN ONLY
WHITE	MAF168WR
MATT BLACK	MAF168MR
BRUSHED NICKEL	MAF168BR

ACCESSORIES	ORDERING CODE
900mm Downrod White Satin	MDRD36WS
900mm Downrod Matt Black	MDRD36M
900mm Downrod Brushed Nickel	MDRD36N
1800mm Downrod White Satin	MDRD72WS
1800mm Downrod Matt Black	MDRD72M



FAN ONLY

LINK


Whisper quiet




- 1220mm (48") DC ceiling fan
- Brushless quiet and efficient 30W DC motor
- Robust industrial designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 4 plywood blades
- Fully reversible for summer and winter mode from remote control
- Tricolour LED light models available
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	30W	30W
BLADE DIAMETER	1220mm (48")	1220mm (48")
AIR MOVEMENT m³/hr	9,800	Om³/hr
BLADE PITCH	11°	
LIGHTING WATTAGE / TYPE	-	15W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1450lm / 1650lm / 1600lm
RATED LIFETIME		35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE	FSLDC124WR	FSLDC1243WR
MATT BLACK	FSLDC124MR	FSLDC1243MR

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRD36W
900mm Downrod Matt Black	MDRD36M
1800mm Downrod White	MDRD72W
1800mm Downrod Matt Black	MDRD72M








FAN LED LIGHT

LIFESTYLE

Elegant and functional



FEATURES

- 1320mm (52") DC ceiling fan
- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor and covered outdoor applications
- Die cast aluminium body and canopy with 4 plywood blades

White

- Fully reversible for summer and winter mode from remote control
- Tricolour LED light models available
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode

Brushed Aluminium

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	35W	35W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr	10,20	00m³/hr
BLADE PITCH	12.5°	
LIGHTING WATTAGE / TYPE	-	24W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	2180lm / 2560lm / 2470lm
RATED LIFETIME		35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE	DLDC134WR	DLDC1343WR
BRUSHED ALUMINIUM	DLDC134BR	DLDC1343BR

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRD36W
900mm Downrod Brushed Aluminium	MDRD36B
1800mm Downrod White	MDRD72W
1800mm Downrod Brushed Aluminium	MDRD72B



FAN ONLY



FAN LED LIGHT





AC CEILING FANS

ADVANTAGES OF AC MOTOR CEILING FANS

Remote Control

AC motor ceiling fans provide more options for controllers. Choices from remote controls to a simple switch.

Low Cost

AC ceiling fans use less electricity than most household appliances especially air conditioner as a standard AC powered ceiling fan will use less than 100W on the highest speed with the majority of models using much less.

More Choices

AC motor ceiling fans have been on the market for a while now. There are plenty of different options and styles for you to choose from that will be within your budget.



DISCOVERY II

ABS versatility













FAN ONLY





FAN LED LIGHT



DISCOVERY II

ABS versatility

SPECIFICATIONS		FAN ONLY	
POWER WATTAGE	65W	65W	65W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m³/hr	11,835m³/hr	13,450m³/hr	15,260m³/hr
BLADE PITCH		10°	
ORDERING CODE		FAN ONLY	
WHITE SATIN	MDF124W	MDF134W	MDF144W
MATT BLACK	MDF124M	MDF134M	MDF144M

SPECIFICATIONS	FAN LED LIGHT		
POWER WATTAGE	65W	65W	65W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m³/hr	11,835m³/hr	13,450m³/hr	15,260m³/hr
BLADE PITCH	13°	13°	10°
LIGHTING WATTAGE / TYPE	15W LED		
COLOUR TEMPERATURE	3000K / 4000K / 5000K		
LUMEN OUTPUT	1580lm / 1745lm / 1690lm		
RATED LIFETIME	35,000 hrs @ Ta25°C		
ORDERING CODE	FAN LED LIGHT		
WHITE SATIN	MDF1243W	MDF1343W	MDF1443W
MATT BLACK	MDF1243M	MDF1343M	MDF1443M

FEATURES

- Available in 1220mm (48"), 1320mm (52") AND 1420mm (56")
- Powerful and efficient 65W AC motor
- Slimline designed ideal for indoor and covered outdoor applications
- ABS body and canopy with 4 ABS blades
- Fully reversible for summer and winter mode
- Tricolour LED light models available
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)

40

ACCESSORIES	ORDERING CODE
900mm Downrod White Satin	MDRA36WS
900mm Downrod Matt Black	MDRA36M
1800mm Downrod White Satin	MDRA72WS
1800mm Downrod Matt Black	MDRA72M
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT



FAN ONLY



FAN LED LIGHT



ELITE

Timeless design











FAN ONLY





FAN LED LIGHT






ELITE

Timeless design

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	50W	50W
BLADE DIAMETER	1220mm (48")	1220mm (48")
AIR MOVEMENT m³/hr	9,900)m³/hr
BLADE PITCH	11	.5°
LIGHTING WATTAGE / TYPE	-	24W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	2270lm / 2650lm / 2550lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MEF133WW	MEF1333WW
MATT BLACK	MEF133MM	MEF1333MM
MATT WHITE/OAK	MEF133WO	MEF1333WO
MATT BLACK/BAMBOO	MEF133MB	MEF1333MB
OLD BRONZE/MERBAU	MEF133OM	MEF1333OM

- 1220mm (48") AC ceiling fan
- Powerful and efficient 50W AC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Fully reversible for summer and winter mode
- Choice of four colour finishes
- Tricolour LED light models available
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
900mm Downrod Old Bronze	MDRA360
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
1800mm Downrod Old Bronze	MDAR72O
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT



GOVERNOR

Industrial look













FAN LED LIGHT



- 1520mm (60") AC ceiling fan
- Powerful and efficient 70W AC motor
- Industrial look, slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Fully reversible for summer and winter mode
- Tricolour LED light model available
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	70W	70W
BLADE DIAMETER	1520mm (60")	1520mm (60")
AIR MOVEMENT m³/hr	11,40	0m³/hr
BLADE PITCH	13°	
LIGHTING WATTAGE / TYPE	-	15W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1510lm / 1760lm / 1720lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
OLD BRONZE/TEAK	MGF153OT	MGF1533OT

ACCESSORIES	ORDERING CODE
900mm Downrod Old Bronze	MDRA360
1800mm Downrod Old Bronze	MDAR72O
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT



FAN ONLY



FAN LED LIGHT

TRIUMPH

Sleek and modern













FAN ONLY





FAN LED LIGHT




FEATURES

- 1320mm (52") AC ceiling fan
- Powerful and efficient 65W AC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Fully reversible for summer and winter mode
- Tricolour LED light models available
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)


48

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	65W	65W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr	10,50	Om³/hr
BLADE PITCH	12°	
LIGHTING WATTAGE / TYPE	-	15W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1600lm / 1780lm / 1660lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE SATIN	MTF133WS	MTF1333WS
MATT BLACK	MTF133MM	MTF1333MM

ACCESSORIES	ORDERING CODE
900mm Downrod White Satin	MDRA36WS
900mm Downrod Matt Black	MDRA36M
1800mm Downrod White Satin	MDRA72WS
1800mm Downrod Matt Black	MDRA72M
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT







FAN LED LIGHT

FLUSH

Low ceiling solution



FEATURES

- 1270mm (50") AC ceiling fan
- Powerful and efficient 60W AC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Fully reversible for summer and winter mode
- Must be installed on a flat level surface
- Tricolour LED light models available
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)


50

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	60W	60W
BLADE DIAMETER	1270mm (50")	1270mm (50")
AIR MOVEMENT m³/hr	10,20	0m³/hr
BLADE PITCH	17°	
LIGHTING WATTAGE / TYPE	-	15W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1530lm / 1780lm / 1720lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE SATIN	MFF133WS	MFF1333WS
MATT BLACK	MFF133MM	MFF1333MM

ACCESSORIES	ORDERING CODE
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT



FAN ONLY FAN LED LIGHT



LIBERTY IP55

Tropical and coastal rated



- 1420mm (56") AC ceiling fan
- Powerful and efficient 65W AC motor
- Low profile designed ideal for indoor and covered outdoor applications
- ABS body and canopy with 4 ABS blades
- Fully reversible for summer and winter mode
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)

SPECIFICATIONS	FAN ONLY
POWER WATTAGE	65W
BLADE DIAMETER	1420mm (56")
AIR MOVEMENT m³/hr	10,400m³/hr
BLADE PITCH	10°
ORDERING CODE	FAN ONLY
WHITE	MLF144WIP
MATT BLACK	MLF144MIP

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT



FAN ONLY



LINK

Best value















FAN ONLY





FAN LED LIGHT



FAN E27* Light







SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
POWER WATTAGE	55W	55W	55W
BLADE DIAMETER	1220mm (48")	1220mm (48")	1220mm (48")
AIR MOVEMENT m³/hr		7,600m³/hr	
BLADE PITCH		11°	
LIGHTING WATTAGE / TYPE	-	15W LED	-
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K	-
LUMEN OUTPUT	-	1450lm / 1650lm / 1600lm	-
RATED LIFETIME	-	35,000 hrs @ Ta25°C	-
ORDERING CODE	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
WHITE	FSL124W	FSL1243W	FSL1244W
MATT BLACK	FSL124M	FSL1243M	FSL1244M
WHITE + REMOTE	-	FSL1243WR**	FSL1244WR**
*Supplied with 2x E27 lamp holder	s. Globe not included.		
**Supplied with remote control			

- 1220mm (48") AC ceiling fan
- Powerful and efficient 55W AC motor
- Low profile designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 4 plywood blades
- Fully reversible for summer and winter mode
- Tricolour LED & E27* light models available
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT





LIFESTYLE

Elegant and functional

















Matt Black

FAN ONLY







Brushed Aluminium

FAN LED LIGHT







Brushed Aluminium

FAN E27* Light







Matt Black



Brushed Aluminium


LIFESTYLE

Elegant and functional

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
POWER WATTAGE	60W	60W	60W
BLADE DIAMETER	1320mm (52")	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		9,600m³/hr	
BLADE PITCH		12.5°	
LIGHTING WATTAGE / TYPE	-	24W LED	-
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K	-
LUMEN OUTPUT	=	2180lm / 2560lm / 2470lm	-
RATED LIFETIME	-	35,000 hrs @ Ta25°C	-
ORDERING CODE	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
WHITE	DLS134W	DLS1343W	DLS1344W
MATT BLACK	DLS134M	DLS1343M	DLS1344M
BRUSHED ALUMINIUM	DLS134B	DLS1343B	DLS1344B
*Supplied with 2x E27 lamp holders. Globe not included.			

- 1320mm (52") AC ceiling fan
- Powerful and efficient 60W AC motor
- Low profile designed ideal for indoor and covered outdoor applications
- Die cast aluminium body and canopy with 4 plywood blades
- Fully reversible for summer and winter mode
- Tricolour LED & E27* light models available
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
900mm Downrod Brushed Aluminium	MDRA36B
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
1800mm Downrod Brushed Aluminium	MDRA72B
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT



FAN ONLY

FAN LED LIGHT

FAN E27* LIGHT

LIFESTYLE MINI

Small room performer



- 1067mm (42") AC ceiling fan
- Powerful and efficient 60W AC motor
- Low profile designed ideal for indoor and covered outdoor applications
- Die cast aluminium body and canopy with 4 ABS blades
- Fully reversible for summer and winter mode
- Tricolour LED & E27* light models available
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
POWER WATTAGE	60W	60W	60W
BLADE DIAMETER	1067mm (42")	1067mm (42")	1067mm (42")
AIR MOVEMENT m³/hr		8,100m³/hr	
BLADE PITCH		12.5°	
LIGHTING WATTAGE / TYPE	-	24W LED	-
COLOUR TEMPERATURE	=	3000K / 4000K / 5000K	-
LUMEN OUTPUT	-	2180lm / 2560lm / 2470lm	-
RATED LIFETIME	-	35,000 hrs @ Ta25°C	-
ORDERING CODE	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
WHITE	DLS104W	DLS1043W	DLS1044W
*Supplied with 2x F27 Jamp holders. Globe not included			

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
1800mm Downrod White	MDRA72W
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT



RAZOR

Robust and modern













Matt Black

FAN LED LIGHT




FEATURES

- 1320mm (52") AC ceiling fan
- Powerful and efficient 69W AC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 4 plywood blades
- Fully reversible for summer and winter mode
- Tricolour LED light model available
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)


64

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	69W	69W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr	9,500)m³/hr
BLADE PITCH	12.5°	
LIGHTING WATTAGE / TYPE	-	28W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	3300lm / 3550lm / 3400lm
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE	MRF134W	MRF1343W
MATT BLACK	MRF134M	-

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT



FAN ONLY



FAN LED LIGHT

OASIS

Outdoor entertainer









FAN LIGHT KIT*




LIGHT KIT*



- 1320mm (52") AC ceiling fan
- Efficient 63W AC motor
- Ideal for indoor and covered outdoor applications
- Metal body and canopy with 4 ABS blades
- Fully reversible for summer and winter mode
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)

SPECIFICATIONS	FAN ONLY	FAN + LIGHT KIT*
POWER WATTAGE	63W	63W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr	9,900	m³/hr
BLADE PITCH	12.5°	
LIGHTING WATTAGE / TYPE	- 2x E27** lamp holder	
ORDERING CODE	FAN ONLY	FAN + LIGHT KIT*
OLD BRONZE	MOF134OB	MOF1340B + MOLKOB*
*Light kit sold separately at additional cost.		
**Globe not included		

ACCESSORIES	ORDERING CODE
900mm Downrod Old Bronze	MDRA360
1800mm Downrod White	MDRA72O
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT
Oasis Light Kit	MOLKOB



FAN / FAN LIGHT KIT*

HAMILTON

Outdoor entertainer









FAN LIGHT KIT*




LIGHT KIT*



- 1320mm (52") AC ceiling fan
- Efficient 63W AC motor
- Ideal for indoor and covered outdoor applications
- Metal body and canopy with 5 rattan (polyethylene) blades
- Fully reversible for summer and winter mode
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)

SPECIFICATIONS	FAN ONLY	FAN + LIGHT KIT*	
POWER WATTAGE	63W	63W	
BLADE DIAMETER	1320mm (52")	1320mm (52")	
AIR MOVEMENT m³/hr	8,400m³/hr		
BLADE PITCH	12.5°		
LIGHTING WATTAGE / TYPE	- 1x E27** lamp holder		
ORDERING CODE	FAN ONLY	FAN + LIGHT KIT*	
OLD BRONZE	MHF1350B	MHF1350B + MHLKOB*	
*Light kit sold separately at additional cost.			
**Globe not included			

ACCESSORIES	ORDERING CODE
900mm Downrod Old Bronze	MDRA36O
1800mm Downrod White	MDRA72O
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT
Hamilton Light Kit	MHLKOB



FAN / FAN LIGHT KIT*



PRECISION

Coastal and tropical rated



Brushed Nickel/304

LIGHT KIT*



Stainless Steel/316

PRECISION

Coastal and tropical rated

SPECIFICATIONS		FAN ONLY	
POWER WATTAGE	75W	75W	75W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m³/hr	16,380m³/hr	18.960m³/hr	21,000m³/hr
BLADE PITCH		23°	
ORDERING CODE		FAN ONLY	
WHITE	MPF120WH	MPF130WH	MPF140WH
BRUSHED NICKEL/304	MPF3042SS	MPF3043SS	MPF3044SS
STAINLESS STEEL/316	MPF3162SS	MPF3163SS	MPF3164SS

SPECIFICATIONS		FAN + LIGHT KIT*		
POWER WATTAGE	75W	75W	75W	
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")	
LIGHTING WATTAGE / TYPE		2x E14** lamp holder		
ORDERING CODE		FAN + LIGHT KIT*		
WHITE	MPF120WH + PLKWH*	MPF130WH + PLKWH*	MPF140WH + PLKWH*	
BRUSHED NICKEL/304	MPF3042SS + PLKBN*	MPF3043SS + PLKBN*	MPF3044SS + PLKBN*	
STAINLESS STEEL/316	MPF3162SS + PLKSS*	MPF3163SS + PLKSS*	MPF3164SS + PLKSS*	
*Light kit sold separately at additional cost.				
**Globe not included				


- Available in 1220mm (48"), 1320mm (52") and 1420mm (56")
- Powerful and efficient 75W AC motor
- Low profile designed ideal for indoor, covered outdoor, coastal and tropical applications
- Metal body and canopy with 4 metal blades
- Fully reversible summer and winter mode
- Compatible with Martec® ceiling fan remote control MPREMS, MPLCDS and MWFBT (sold separately)

ACCESSORIES	ORDERING CODE
900mm Downrod White	DREPO36W
900mm Downrod Brushed Nickel	DREPO36BN
900mm Downrod Stainless Steel	DRP36SS
1800mm Downrod White	DREPO72W
1800mm Downrod Brushed Nickel	DREPO72BN
1800mm Downrod Stainless Steel	DRP72SS
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MWFBT
Precision Light Kit White	PLKWH
Precision Light Kit 304 Brushed Nickel	PLKBN
Precision Light Kit 316 Stainless Steel	PLKSS

DIMENSIONS



FAN ONLY



FAN LED LIGHT





CEILING FANS ACCESSORIES

ADVANTAGES OF **CEILING FANS ACCESSORIES**

Remote Control

Remote controls allow you to change the fan speed with a touch of a button.

Light Kit

Ceiling fan lights give you brightness while providing a relaxing cool breeze.

Downrod

Downrods provide convenience and better efficiency where the installation area has a high ceiling.

REMOTE CONTROL KITS

PREMIER REMOTE CONTROL KIT

FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off function
- 2, 4 and 8 hour timer
- 4 dip switches make 16 possible control channels
- Radio frequency with range up to 10m
- Supplied with 2x AAA batteries



ORDERING CODE

MPREMS

PREMIUM LCD REMOTE CONTROL KIT

FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off function
- 1-8 hour timer
- 4 dip switches make 16 possible control channels
- Radio frequency with range up to 10m
- Supplied with 2x AAA batteries and wall mounting bracket

ORDERING CODE

MPI CDS



SMART REMOTE CONTROL KIT NEW

FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- 3 ways control: remote, APP and voice
- Light on/off function
- Advanced timer: 1-12hr via App, 2-8hr via remote
- Radio frequency with range up to 10m
- Bluetooth backup when WiFi unavailable
- Supplied with 2x AAA batteries and wall mounting bracket



MWFBT





INFRA-RED REMOTE CONTROL KIT

FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off and delay function
- Supplied with 2x AAA batteries



FSIREM



WALL CONTROLLER

DC CEILING FAN WALL CONTROL

FEATURES

- 1 year in-home warranty
- Suitable for all DC fans (except Avoca)
- LCD touch screen
- 5 speed ceiling fan setting
- Fan on/off function with timer
- Light on/off function
- Summer/winter reverse function


ORDERING CODE

MDCWALL



DOWNROD LENGTH RECOMMENDATIONS

The ideal distance from the floor to fan blades is 210 cm to 270 cm.



78

AC CEILING FAN WALL CONTROL

FEATURES

- 1 year in-home warranty
- Suitable for all AC fans
- 3 speed: high, medium and low
- Light on/off function


Plastic knob can be ordered as spare part.

Ordering code is MKNOB.



MWALLC







DOWNRODS

DC DOWNRODS

ORDERING CODE	DESCRIPTION	PRODUCT
MDRD36WS	900mm Downrod White Satin	All
MDRD36W	900mm Downrod White	All
MDRD36M	900mm Downrod Matt Black	All
MDRD36N	900mm Downrod Brushed Nickel	All
MDRD36B	900mm Downrod Brushed Aluminium	All
MDRD72WS	1800mm Downrod White Satin	All
MDRD72W	1800mm Downrod White	All
MDRD72M	1800mm Downrod Matt Black	All
MDRD72B	1800mm Downrod Brushed Aluminium	All
MDRDWIFI36W	900mm Downrod WiFi Matt White	Avoca
MDRDWIFI36M	900mm Downrod WiFi Matt Black	Avoca
MDRDWIFI72W	1800mm Downrod WiFi Matt White	Avoca
MDRDWIFI72M	1800mm Downrod WiFi Matt Black	Avoca
MDRD36WST	Dia 25mm 900mm Downrod White Satin	Viper, Newport, Malibu
MDRD36OT	Dia 25mm 900mm Downrod Old Bronze	Newport, Malibu
MDRD36MT	Dia 25mm 900mm Downrod Matt Black	Viper, Newport, Malibu
MDRD72WST	Dia 25mm 1800mm Downrod White Satin	Viper, Newport, Malibu
MDRD72OT	Dia 25mm 1800mm Downrod Old Bronze	Newport, Malibu
MDRD72MT	Dia 25mm 1800mm Downrod Matt Black	Viper, Newport, Malibu

NB: Please select the colour that matches the corresponding ceiling fan colour.



AC DOWNRODS

ORDERING CODE	DESCRIPTION	PRODUCT
MDRA36WS	900mm Downrod White Satin	All
MDRA36W	900mm Downrod White	All
MDRA36O	900mm Downrod Old Bronze	All
MDRA36M	900mm Downrod Matt Black	All
MDRA36N	900mm Downrod Brushed Nickel	All
MDRA36B	900mm Downrod Brushed Aluminium	All
MDRA72WS	1800mm Downrod White Satin	All
MDRA72W	1800mm Downrod White	All
MDRA72O	1800mm Downrod Old Bronze	All
MDRA72M	1800mm Downrod Matt Black	All
MDRA72N	1800mm Downrod Brushed Nickel	All
MDRA72B	1800mm Downrod Brushed Aluminium	All
DREPO36W	900mm Downrod White	Precision
DREPO36BN	900mm Downrod Brushed Nickel	Precision
DRP36SS	900mm Downrod 316 Stainless Steel	Precision
DREPO72W	1800mm Downrod White	Precision
DREPO72BN	1800mm Downrod Brushed Nickel	Precision
DRP72SS	1800mm Downrod 316 Stainless Steel	Precision

NB: Please select the colour that matches the corresponding ceiling fan colour.





We do more than you think





/// MARTEC



/// MARTEC



/// MARTEC



Martec® is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. Air movements figures quoted are guide only. All measurements are in millimetres unless otherwise stated.

The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request.







6 Austool Place Ingleburn NSW 2565 (02) 8778 7500 sales@martecltd.com.au

Opening Hours (Mon-Fri): Warehouse: 7:30am - 3:30pm Office: 8:00am - 4:00pm

www.martecaustralia.com.au







