Product data sheet Characteristics

EVP2CNS161A4

Attached Cable T1 16A 1-Ph IEC 4 meters -Wallbox EVH2 spare part



Main

Range	EVlink
Product or component type	Charging cable
Accessory / separate part category	Spare part
Network number of phases	Single phase
Poles description	1P + N
[In] rated current	16 A
[Us] rated supply voltage	220240 V AC 50/60 Hz
Earthing system	Compatible IT with additional isolation transformer on the power supply Compatible TN Compatible TT
Nominal output power	3.7 W 16 A
Socket number	1

Complementary

Complementary		
Connector type	T1 vehicle end silver plated contacts Without connector charging station end	
Range compatibility	EVlink EVlink Wallbox EVH2 charging station	
Standards	IEC 62196-2 IEC 62196-1	
Product certifications	CE	
Length	4 m	
Net weight	3.1 kg	

Environment

IP degree of protection	IP54 conforming to IEC 60529			
IK degree of protection	IK10 conforming to IEC 62262			
Ambient air temperature for operation	-3050 °C			
Ambient air temperature for storage	-4080 °C			
Relative humidity	595 %			

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	15 cm	
Package 1 Width	30 cm	
Package 1 Length	40 cm	
Package 1 Weight	970 g	

Offer Sustainability

•		
REACh Regulation	REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Compliant E EU RoHS Declaration	
Toxic heavy metal free	Yes	
Mercury free	Yes	
China RoHS Regulation	China RoHS Declaration	
RoHS exemption information	₽¥Yes	

Life Is On