

# Extended rotary handle, ComPacT NSXm, black handle, shaft length 200mm to 600mm, IP54

LV426932T

## Main

Range compatibility	PowerPact PowerPact B ComPacT ComPacT NSXm	
Product or component type	Rotary handle	
Accessory / separate part type	Control accessories	
Handle colour	Black	
Handle front plate colour	Black	
Enclosure mounting style	Extended	

# Complementary

Rotary handle padlocking	1 to 3 padlocks Padlock in OFF position Padlock in ON position
Product mounting position	Front
Locking options description	1 to 3 padlocks Ø 4 to Ø 8

# **Environment**

IP degree of protection IP54

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.000 cm
Package 1 Width	9.500 cm
Package 1 Length	46.000 cm
Package 1 Weight	681.000 g
Unit Type of Package 2	S04
Number of Units in Package 2	12
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	8.922 kg
Unit Type of Package 3	P06
Number of Units in Package 3	48

Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	42.000 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Total lifecycle Carbon footprint	6
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

<b>⊗</b> Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	Ab9dc4da-002c-433d-9974-4b46c472d129
REACh Regulation	REACh Declaration
Halogen-free status	Halogen free plastic parts product
Silicone-free	No

## **Use Again**

○ Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No