

Device monitoring and management, Network Management Cards, NMC3 for Easy UPS 3S, 3M, 3L, Galaxy 3L & Galaxy PW, remote UPS monitoring and management

AP9547

Overview

Droc	anta	tion

The Network Management Card for Easy UPS 3 Series (AP9547) enables secure remote monitoring and control of one Easy UPS 3S, Easy UPS 3M or Easy UPS 3L through the easy-to-use web browser interface, via EcoStruxure™ IT Software or another SNMP-enabled system.

A 12-month Secure NMC Subscription, that allows the customer to access future firmware updates, is included with the purchase of the card. Upon expiration of the provided Secure NMC Subscription the purchase of a new Secure NMC Subscription is required to access future firmware updates..

Lead time Usually in Stock

Main

Range of product	Network Management Cards
Range compatibility	Easy UPS 3S
	Easy UPS 3M
	Easy UPS 3L
	Galaxy PW 2nd generation
Product or component type	Device monitoring and management
Provided equipment	Micro-USB cable
	Installation manual
Number of input phases	3
Standards	CISPR 32
	VCCI class A
	ICES-003
	EN 55024
	EN 61000-4-2
	EN 61000-4-3
	EN 61000-4-4
	EN 61000-4-5
	EN 61000-4-6
	EN 61000-4-8
	EN 61000-6-2
	EN/IEC 62040-2

Physical

Net weight	0.05 kg	
Width	5.2 cm	
Height	4.4 cm	
Depth	8.0 cm	

Conformance

Product certifications	FCC Class A	
	AS/NZS	

Environmental

Storage Relative Humidity	095 %
Relative humidity	095 %
Ambient air temperature for storage	-1565 °C
Ambient air temperature for operation	-1565 °C
Storage altitude	0.000000000015240.0000000000 m
Operating altitude	010000 ft

Communications & Management

10/100/1000BASE-T
Radius
HTTP over secure sockets Layer (HTTPS) SSH FTP HTTP SNMP DHCP BOOTP (Bootstrap Protocol) TCP/IP

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	16.500 cm
Package 1 Length	24.000 cm
Package 1 Weight	332.000 g
Unit Type of Package 2	P06
Number of Units in Package 2	44
Package 2 Height	55.000 cm
Package 2 Width	80.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	17.000 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	69
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	F4c2965e-f80d-4830-8cd4-be926afb0f45
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No