Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Rack Mount, Security and Environmental Appliance, NetBotz, 250A

NBRK0250A

Overview

Presentation	NetBotz Rack Monitor 250 with embedded NMC3
Lead time	Usually in Stock

Main

Industrial rack PC	
Netbotz	
1U	
HTTPS	
HTTP	
SNMP	
SNMP v3	
Modbus	
Installation guide	
Rack mounting brackets	
Temperature/humidity sensor	
Installation gasket	

General

Universal sensor supported	0-5V Door contact Dry contact Fluid spot leak Humidity Temperature Smoke
Number of universal sensor ports	6
Number of sensor pods supported	6

Physical

Height	4.4 cm	
Width	43.2 mm	
Depth	5.9 cm	
Net weight	1.27 kg	
Mounting location	Front Rear	
Mounting preference	No preference	
Mounting mode	Rack-mounted	
Mounting position	Vertical	

Environmental

Ambient air temperature for operation	045 °C
Operating altitude	010000 ft
Ambient air temperature for storage	-1565 °C
Storage altitude	0.000000000015240.0000000000 m

Communications & Management

Communication network type RJ45 10/100 Base-T

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.6 cm
Package 1 Width	22.6 cm
Package 1 Length	45.7 cm
Package 1 Weight	2.95 kg

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
- Let ton regulation	<u></u>
Use Again	
○ Repack and remanufacture	
Take-back	No