

Product datasheet

Specifications



APC SmartSlot Triple Chassis Black



AP9604BLK

Overview

Presentation	UPS management accessory that provides three additional SmartSlot interfaces to your APC SmartSlot UPS.
Lead time	Usually in Stock

Main

Provided equipment	DB9-DB9 cable Rack mounting brackets User manual
Number of cables	1

General

Power supply type	Self powered via UPS interface port
-------------------	-------------------------------------

Physical

Colour	Black
Net weight	1.91 kg
Width	43.2 cm
Height	4.4 cm
Depth	16.5 cm
Mounting location	Front
Mounting mode	Rack-mounted
Mounting preference	No preference

Conformance

Standards	EN 55022 class A EN 55024 EN 55082 FCC part 15 class A
Product certifications	C-Tick CE DOC/Industry Canada VCCI

Environmental

Storage Relative Humidity	0...95 %
Relative humidity	0...95 %
Ambient air temperature for storage	-15...65 °C

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient air temperature for operation	0...45 °C
Storage altitude	0.0000000000...15240.0000000000 m
Operating altitude	0...10000 ft

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)



Energy efficiency

Optimized Energy Efficiency

Energy efficient product

Use Again



Repack and remanufacture

Circularity Profile

[End of Life Information](#)