



APC NetShelter SX, Server Rack Enclosure, 42U, without Doors, Black, 1991H x 600W x 1070D mm

AR3100X610

Overview

Presentation	Standard enclosure for low to medium density server and networking applications. Compact width to optimize data center space. 42U height to easily roll through doorways.	
Lead time	Usually in Stock	

Main

Product or component type	Rack enclosure	
Number of rack unit	42U	
Provided equipment	Baying hardware	
	Key(s)	
	Leveling feet	
	Mounting hardware	
	Pre-installed casters	
	Side panels	

Physical

Height	199.1 cm	
Width	60 cm	
Depth	107 cm	
Net weight	105.55 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	91.49 cm	
minimum mounting depth	19.1 cm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 16 gauge post 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1360.8 kg static	

Conformance

Standards	UL 2416	
	UL 60950-1	
	EIA-310E	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	211.8 cm
Package 1 Width	121.9 cm
Package 1 Length	89.9 cm
Package 1 Weight	125 kg

Contractual warranty

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances		
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
REACh Regulation	REACh Declaration	

Use Again

○ Repack and remanufacture		
Circularity Profile	End of Life Information	
Take-back	Yes	