



Interface ports, Management Options, UPS Interface Expander 2, additional UPS interface ports with serial shutdown support

AP9624

Overview

Presentation	UPS Management SmartSlot offer with serial shutdown support of up to two additional devices such as Servers and Network Storage Devices.
Lead time	Usually in Stock

Main

Range of product	Management Options and Cables	
Provided equipment	RS-232 configuration cable User manual Warranty card	
Product or component type	Expansion unit	
Number of cables	2	

General

Power supply type Self powered via SmartSlot

Physical

Net weight	0.41 kg
Width	0.165 m
Height	5.1 cm
Depth	11.4 cm
Mounting preference	No preference

Conformance

Standards	EN 55022 class A EN 55024 FCC part 15 class A IEC 62040-2 EN 61000-6-1 EN 61000-6-2 EN 55011 EN 55022
Product certifications	C-Tick CE Industry Canada VCCI

Environmental

Storage Relative Humidity	095 %
Relative humidity	095 %

Ambient air temperature for storage	-1545 °C	
Ambient air temperature for operation	040 °C	
Storage altitude	0.000000000015240.0000000000 m	
Operating altitude	010000 ft 050000 ft	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.1 cm
Package 1 Width	16.5 cm
Package 1 Length	23.5 cm
Package 1 Weight	0.41 kg

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	3
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
[™] Energy efficiency	
Optimized Energy Efficiency	Energy efficient product

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Take-back	Yes