



APC Replacement Battery Cartridge #12 with 2 Year Warranty

RBC12

Overview

Lead time Usually in Stock

Main

Product or component type	Replacement battery cartridge	
Number of cables	1	
Battery type	Lead-acid battery	
Provided equipment	All required connectors Battery recycling guide Reusable packaging Installation quide	

Batteries & Runtime

Number of battery free slots	0	
Number of battery filled slots	0	
Device mounting	Stand alone battery stack	
Battery voltage	48 V	
Additional information	RBC 12 is composed of two seperate battery cells. The Net dimensions are measured per cell.	
Number of battery replacement quantity	1	

Physical

Colour	Black	
Height	9.7 cm	
Width	25.4 cm	
Depth	15.2 cm	
Net weight	20 kg	
Mounting mode	Not rack-mountable	

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 %
Ambient air temperature for storage	-15…45 °C
Storage altitude	0.000000000015240.0000000000 m

Storage Relative Humidity 0...95 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	22.9 cm
Package 1 Width	39.4 cm
Package 1 Length	57.2 cm
Package 1 Weight	22.86 kg

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	46
Environmental Disclosure	Product Environmental Profile

Use Better

⊗ Materials and Substances	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes