

Specifications





APC Replacement Battery Cartridge for Back-UPS, 12V 9Ah lead-acid battery, 2-year repair or replace warranty

RBC17

Overview

Lead time	Usually in Stock	
Main		
Product or component type	Replacement battery cartridge	
Number of cables	1	
Battery type	Lead-acid battery	
Provided equipment	All required connectors Battery recycling guide Reusable packaging Installation guide	

Batteries & Runtime

Battery location	Internal battery	
Number of battery free slots	0	
Number of battery filled slots	0	
Device mounting	Stand alone battery stack	
Battery voltage	12 V	
Number of battery replacement quantity	1	

Physical

Colour	Black
Height	6.5 cm
Width	9.4 cm
Depth	15.1 cm
Net weight	2.59 kg
Mounting mode	Not rack-mountable
USB compatible	No

Output

Battery capacity

9.0 Ah

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft

Relative humidity	095 %	
Ambient air temperature for storage	erature for -1545 °C	
Storage altitude	0.00000000015240.000000000 m	
Storage Relative Humidity	095 %	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.900 cm
Package 1 Width	17.500 cm
Package 1 Length	21.300 cm
Package 1 Weight	2.860 kg
Unit Type of Package 2	P12
Number of Units in Package 2	48
Package 2 Height	80.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	138.816 kg

Contractual warranty

Warranty

2 years repair or replace

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

9

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)

Environmental Disclosure

Product Environmental Profile

Use Better

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration
Use Again	

U	\circlearrowright Repack and remanufacture	
	Circularity Profile	End of Life Information
	Take-back	Yes