

Specifications



APC Replacement Battery Cartridge #109 with 2 Year Warranty

APCRBC109

Overview

Lead time

Usually	in	Stock
---------	----	-------

Main

Product or component type	Replacement battery cartridge
Battery type	Lead-acid battery
Provided equipment	All required connectors Battery recycling guide Reusable packaging Installation guide

Batteries & Runtime

Number of battery blocks per string	2	
Number of battery free slots	0	
Number of battery filled slots	0	
Device mounting	Enclosed battery cartridge	
Battery voltage	24 V	
Number of battery replacement quantity	1	

Physical

-	
Colour	Charcoal
Height	10.4 cm
Width	15.1 cm
Depth	13.2 cm
Net weight	5.58 kg
Mounting mode	Not rack-mountable

Output

Battery capacity

9.0 Ah

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 %

Ambient air temperature for storage	040 °C
Storage altitude	0.0000000003048.000000000 m
Storage Relative Humidity	095 %

Packing Units

-	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	30.5 cm
Package 1 Width	10.2 cm
Package 1 Length	22.9 cm
Package 1 Weight	6.14 kg
SCC14	10731304243561

Contractual warranty

Warranty

2 years repair or replace

C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained $>$	
How we assess product sustainability \geq	
$ \bigtriangledown \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! $	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	20
Environmental Disclosure	Product Environmental Profile
Use Better	
S Materials and Substances	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
Use Again	
\circlearrowright Repack and remanufacture	
Circularity Profile	End of Life Information