

Product datasheet

Specifications



APC Easy Rack, 42U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1991H x 600W x 1100D mm

ER6212

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Product or component type	Rack
Number of rack unit	42U
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels

Physical

Height	199.1 cm
Width	60 cm
Depth	110 cm
Net weight	105.2 kg
Colour	Black
Mounting mode	Not rack-mountable
Maximum mounting depth	93.98 cm
minimum mounting depth	24.16 cm
Rack width	19"
Marking	18 gauge front door 19 gauge rear door 16 gauge post 14 gauge EIA mounting rail
Permanent permissible load	1199.8 kg static 599.6 kg

Conformance

Standards	UL 2416 - EIA-310E
-----------	--------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	212 cm
Package 1 Width	115 cm
Package 1 Length	65 cm
Package 1 Weight	112 kg
Pallet layers	1

Contractual warranty

Warranty	5 Years repair or replace
----------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	340
Use Better	
Materials and Substances	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration
Use Again	
Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No