

Product datasheet

Specifications



InRow RD, 600mm Air Cooled,
380-415V, 50/60Hz, with
humidifier

ACRD602P

Overview

Lead timeSpecial Order - Call for Quoted Lead Times

Main

Main Input Voltage	380 V 3 phases 400 V 3 phases 415 V 3 phases
Number of rack unit	42U
Provided equipment	Door key Installation guide Integrated network management Network management card Operations and maintenance manual User manual

General

Humidification flow	3.0 kg/hr
Compressor type	Scroll
Air discharge option	Horizontal
Intake air option	Rear return
air flow	1887.8 l/s
Inrush current	28 A
Condensate pump flow	0.1 m3/h
Tube material	Copper

Physical

Colour	Black
Height	199.1 cm
Width	60 cm
Depth	107 cm
Net weight	402 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

Input

Number of feeders	1
Input power	20200 W

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Network frequency	50/60 Hz
Number of input connectors	1 hard wire 4-wire (3P + E)

Conformance

Product certifications	C-Tick CE EAC
------------------------	---------------------

Environmental

Ambient air temperature for operation	-20...50 °C
Relative humidity	5...95 %
Operating altitude	0...10000 ft
Acoustic level	84 dBA

Communications & Management

control panel	Multifunction LCD status and control console
---------------	--

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	216.6 cm
Package 1 Width	113.7 cm
Package 1 Length	85 cm
Package 1 Weight	447 kg
Number of Units in Package 3	1

Contractual warranty

Warranty	1 year (parts only), 1 year on-site repair or replace with factory authorized Start-Up
----------	--

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Take-back	No