



APC Replacement Battery Cartridge for Smart-UPS Line Interactive, 48V 10Ah lead-acid battery, 2-year repair or replace warranty

RBC43

Overview

Lead time Usually in Stock

Main

Product or component type	Replacement battery cartridge	
Number of cables	1	
Battery type	Lead-acid battery	
Provided equipment	All required connectors	
	Battery recycling guide	
	Metallic battery tray or enclosure	
	Reusable packaging	
	Installation guide	
Range of product	Replacement Battery Cartridges	

Batteries & Runtime

Number of battery free slots	0	
Number of battery filled slots	0	
Device mounting	Enclosed battery cartridge	
Battery voltage	48 V	
Number of battery replacement quantity	1	

Physical

Height	7.6 cm
Width	21.6 cm
Depth	53.3 cm
Net weight	19.09 kg
Mounting mode	Not rack-mountable
USB compatible	No

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 %
Ambient air temperature for storage	-1545 °C

Storage altitude	0.000000000015240.000000000 m
Storage Relative Humidity	0 95 %

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	22.900 cm
Package 1 Width	76.800 cm
Package 1 Length	39.400 cm
Package 1 Weight	20.450 kg
Unit Type of Package 2	P12
Number of Units in Package 2	12
Package 2 Height	80.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	257.160 kg

Contractual warranty

Warranty 2 years repair or replace.



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	67
Environmental Disclosure	Product Environmental Profile

Use Better

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes