

Specifications





APC Replacement Battery Cartridge 4 with 2 Year Warranty

RBC4

Overview

Lead time

Main

Product or component type	Replacement battery cartridge	
Number of cables	1	
Battery type	Lead-acid battery	
Provided equipment	All required connectors Battery recycling guide Reusable packaging Installation guide	
Range of product	Replacement Battery Cartridges	

Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Battery voltage	12 V
Number of battery replacement quantity	1

Physical

3	
Colour	Black
Height	9.9 cm
Width	9.4 cm
Depth	15 cm
Net weight	3.68 kg
Mounting mode	Not rack-mountable
USB compatible	No

Output

Battery capacity

12 Ah

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 %

Ambient air temperature for storage	-1545 °C	
Storage altitude	0.00000000015240.000000000 m	
Storage Relative Humidity	095 %	

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.4 cm
Package 1 Width	17.5 cm
Package 1 Length	21.3 cm
Package 1 Weight	4 kg

Contractual warranty

Warranty

2 years repair or replace

C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

13

Environmental Data explained >

How we assess product sustainability >

earrow ear

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)

Environmental Disclosure

Product Environmental Profile

Use Better

${}^{\mbox{\footnotesize \sc s}}$ Materials and Substances	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration
Use Again	

igodoldoldoldoldoldoldoldoldoldoldoldoldol	
Circularity Profile	End of Life Information
Take-back	Yes