Specifications

APC



## APC NetShelter SX, Server Rack Enclosure, 48U, without Doors, Black, 2258H x 750W x 1070D mm

AR3157X610

#### Overview

Presentation	Tall and wide enclosure with 48U spaces for additional equipment and increased cable management options for high density server and networking applications.	
Lead time	Usually in Stock	
Main		
Product or component type	Rack enclosure	
Number of rack unit	48U	
Provided equipment	Baying hardware Key(s) Leveling feet Mounting hardware Pre-installed casters Side panels	
Physical		
Height	225.8 cm	
Width	75 cm	
Depth	107 cm	
Net weight	139.73 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	91.49 cm	
minimum mounting depth	26.19 cm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 16 gauge post 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1360.8 kg static	

## Conformance

#### Standards

UL 2416 UL 60950-1 EIA-310E

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	240 cm
Package 1 Width	121.9 cm
Package 1 Length	89.5 cm
Package 1 Weight	154.73 kg

#### **Contractual warranty**

Warranty

5 year repair or replace

# Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability  $\geq$ 

#### **Use Better**

Intervals and Substances		
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
REACh Regulation	REACh Declaration	
Use Again		
$^{\circlearrowright}$ Repack and remanufacture		
Circularity Profile	End of Life Information	

Take-back

Yes