Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

3.5kW split system Indoor unit, Gravity Drain



ACRMD4KI-1

, ,	• •	\sim	-		\sim	
О	v	Ľ		~	_	w
•	•	$\overline{}$			$\mathbf{-}$	••

Lead time Special Order - Call for Quoted Lead Times

Main

Main Input Voltage	200240 V
Number of rack unit	5U
Provided equipment	120/240 V power supply Built-in modbus protocol adapter

General

Compressor type	Scroll
Air discharge option	Upflow
Intake air option	Rear return
air flow	193.5 l/s

Physical

Height	21.8 cm
Width	47.4 cm
Depth	75.2 cm
Net weight	26 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

Input

Number of feeders	1	
Network frequency	50 Hz	

Conformance

Product certifications	CCC
	CE

Environmental

Audible noise at 1 meter from	62.5 dBA	
surface of unit		

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	33 cm
Package 1 Width	95 cm
Package 1 Length	58 cm
Package 1 Weight	30 kg

Contractual warranty

Warranty

1 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

EU RoHS Directive	Under investigation
Use Again	
○ Repack and remanufacture	
	The product must be disposed on European Union
WEEE	markets following specific waste collection and never end up in rubbish bins