



APC Replacement Battery Cartridge #135 with 2 Year Warranty

APCRBC135

Overview

Lead time Usually in Stock

Main

| Product or component type | Replacement battery cartridge | |
|---------------------------|-------------------------------|--|
| Battery type | Lead-acid battery | |
| Provided equipment | Installation guide | |

Batteries & Runtime

| Battery location | Internal battery | |
|-------------------------------------|---------------------------|--|
| Number of battery blocks per string | 2 | |
| Number of battery free slots | 0 | |
| Number of battery filled slots | 0 | |
| Device mounting | Stand alone battery stack | |
| Battery voltage | 24 V | |
| Number of battery replacement | 1 | |

Physical

| Height | 10.7 cm |
|---------------|--------------------|
| Width | 10.7 cm |
| Depth | 14.4 cm |
| Net weight | 4.68 kg |
| Mounting mode | Not rack-mountable |

Output

Battery capacity 5 Ah

Environmental

| Ambient air temperature for operation | 040 °C |
|---------------------------------------|-------------------------------|
| Operating altitude | 010000 ft |
| Relative humidity | 095 % |
| Ambient air temperature for storage | -1545 °C |
| Storage altitude | 0.000000000015240.000000000 m |

Storage Relative Humidity 0...95 %

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|---------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 22.9 cm |
| Package 1 Width | 22.9 cm |
| Package 1 Length | 22.9 cm |
| Package 1 Weight | 5.14 kg |

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

| ∇ Environmental footprint | |
|---|-------------------------------|
| Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) | 17 |
| Environmental Disclosure | Product Environmental Profile |

Use Better

| Materials and Substances | |
|--------------------------|--|
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACh Regulation | REACh Declaration |

Use Again

| ○ Repack and remanufacture | |
|----------------------------|-------------------------|
| Circularity Profile | End of Life Information |
| Take-back | Yes |