



APC NetShelter SX, Server Rack Enclosure, 45U, White, 2124H x 750W x 1200D mm

AR3355W

Overview

Lead time Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit	45U
Provided equipment	Baying hardware
	Key(s)
	Keyed-alike doors and side panels
	Leveling feet
	Mounting hardware
	Pre-installed casters
	Side panels
	User manual

Physical

_		
Height	212.4 cm	
Width	75 cm	
Depth	120 cm	
Net weight	169 kg	
Colour	White	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	104.8 cm	
minimum mounting depth	26.19 cm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1701.0 kg static	

Conformance

Standards UL 2416 UL 60950-1 EIA-310E

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	224 cm
Package 1 Width	133.4 cm
Package 1 Length	85 cm
Package 1 Weight	188.4 kg

Contractual warranty

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	572	

Use Better

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
REACh Regulation	REACh Declaration	

Use Again

○ Repack and remanufacture		
Circularity Profile	End of Life Information	
Take-back	Yes	