



APC NetShelter SX, Server Rack Enclosure, 48U, without Doors, Black, 2258H x 600W x 1200D mm

AR3307X610

Overview

Presentation	Deep and Tall Universal IT Enclosure for low to medium density server and networking applications that either require additional equipment clearance space or more open space for ease of access in the rear of the enclosure. Tall to provide 48U spaces for environments that can take advantage of higher spaces and provide more mounting u-spaces at each enclosure footprint. Compact width to optimize data center space.
Lead time	Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit 48U	
Provided equipment	Baying hardware
	Key(s)
	Leveling feet
	Mounting hardware
	Pre-installed casters
	Side panels

Physical

Height	225.8 cm	
Width	60 cm	
Depth	120 cm	
Net weight	149.55 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	105.99 cm	
minimum mounting depth	19.1 cm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 16 gauge post 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1360.8 kg static	

Conformance

Standards	UL 2416	
	UL 60950-1	
	EIA-310E	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	238.5 cm
Package 1 Width	133.4 cm
Package 1 Length	74.6 cm
Package 1 Weight	165.45 kg

Contractual warranty

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances		
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
REACh Regulation	REACh Declaration	

Use Again

○ Repack and remanufacture		
Circularity Profile	End of Life Information	
Take-back	Yes	