



APC Replacement Battery Cartridge #164 with 2 Year Warranty

APCRBC164

Overview

Lead time Usually in Stock

Main

| Main Input Voltage | 12 V DC | |
|---------------------------|-------------------------------|--|
| Product or component type | Replacement battery cartridge | |
| Battery type | Lead-acid battery | |
| Provided equipment | Installation guide | |

Batteries & Runtime

| Number of battery free slots | 0 |
|--|------|
| Number of battery filled slots | 0 |
| Battery voltage | 12 V |
| Number of battery replacement quantity | 1 |

Physical

| Mounting mode | Not rack-mountable |
|---------------|--------------------|
| Net weight | 3 kg |
| Depth | 6.5 cm |
| Width | 15.1 cm |
| Height | 10.5 cm |
| Colour | Black |

Output

Battery capacity 9.4 Ah

Environmental

| Ambient air temperature for operation | 045 °C | |
|---------------------------------------|-------------------------------|--|
| Operating altitude | 010000 ft | |
| Relative humidity | 095 % non-condensing | |
| Ambient air temperature for storage | -1545 °C | |
| Storage altitude | 0.000000000015240.000000000 m | |
| Storage Relative Humidity | 095 % non-condensing | |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|----------------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 8.9 cm |
| Package 1 Width | 21.3 cm |
| Package 1 Length | 17.5 cm |
| Package 1 Weight | 3.5 kg |
| SCC14 | 10731304346866 |

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

| ☑ Environmental footprint | |
|---------------------------|-------------------------------|
| Environmental Disclosure | Product Environmental Profile |

Use Better

| Materials and Substances | |
|--------------------------|--|
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACh Regulation | REACh Declaration |

Use Again

| ○ Repack and remanufacture | |
|----------------------------|-------------------------|
| Circularity Profile | End of Life Information |
| Take-back | No |