

Product datasheet

Specifications



RACK PDU, BASIC, HALF HEIGHT, 100-240V/20A, 220-240V/16A, (14) C13

AP6003A

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Colour	Black
Product or component type	PDU
PDU type	Basic
Provided equipment	Installation guide Safety guide

Complementary

Input Voltage	230 V
Height	52.3 cm
Width	5.6 cm
Output Voltage	100 V 120 V 200 V 208 V 230 V 240 V
Depth	4.7 cm
Net weight	1.88 kg
Mounting location	Side
Mounting preference	Lower
Input Plug Type	IEC 60320 C20
Mounting mode	Not rack-mountable
Rack units	0U
USB compatible	No
Mounting position	Vertical
[In] rated current	16 A
Permissible voltage	100...240 V
Max line current	20 A
Input current limits	20 A
Load capacity	3300 VA
Network frequency	50/60 Hz

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Outlet type and quantity	14 IEC 60320 C13
--------------------------	------------------

Environment

Product certifications	cUL listed UL listed
Ambient air temperature for operation	0...50 °C
Relative humidity	5...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-15...65 °C
Storage Relative Humidity	5...95 %
Storage altitude	0.0000000000...15240.0000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	61.2 cm
Package 1 Width	10.7 cm
Package 1 Length	12.3 cm
Package 1 Weight	2.55 kg
SCC14	10731304327766

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

🌱 Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	48
Environmental Disclosure	Product Environmental Profile

Use Better

🔍 Materials and Substances	
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration

💡 Energy efficiency	
Optimized Energy Efficiency	Energy efficient product

Use Again

♻️ Repack and remanufacture	
Circularity Profile	End of Life Information
Halogen content performance	Product contains halogen above thresholds
Take-back	Yes