Specifications

APC



APC NetShelter SX, Server Rack Enclosure, 48U, White, 2258H x 750W x 1200D mm

AR3357W

Overview

Lead time

Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit	48U
Provided equipment	Baying hardware Documentation CD Key(s) Leveling feet Mounting hardware Pre-installed casters Side panels User manual

Physical

i ngoloal	
Height	225.8 cm
Width	75 cm
Depth	120 cm
Net weight	185.45 kg
Colour	White
Mounting preference	No preference
Mounting mode	Not rack-mountable
Maximum mounting depth	104.8 cm
minimum mounting depth	26.19 cm
Rack width	19"
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 16 gauge rear door 18 gauge roof 18 gauge side panels
Permanent permissible load	1020.6 kg dynamic 1701.0 kg static

Conformance

Standards

UL 60950 EIA-310E

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	240 cm
Package 1 Width	133.4 cm
Package 1 Length	89.5 cm
Package 1 Weight	201.82 kg

Contractual warranty

Warranty

5 year repair or replace

C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >	
How we assess product sustainability $>$	
${\mathcal Q}$ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	612
Use Better	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	
	REACh Declaration
Use Again	REACh Declaration
-	REACh Declaration
Use Again	REACh Declaration