

Specifications

APC



# **APC Replacement Battery** Cartridge 157 with 2 Year Warranty

APCRBC157

## **Overview**

Lead time	Usually in Stock
Main	
Product or component type	Replacement battery cartridge
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	All required connectors Battery recycling guide Metallic battery tray or enclosure
Range of product	Replacement Battery Cartridges

## **Batteries & Runtime**

Number of battery free slots	0
Number of battery filled slots	0
Device mounting	Enclosed battery cartridge

#### **Physical**

3	
Colour	Black
Height	8.3 cm
Width	21.6 cm
Depth	34.3 cm
Net weight	10 kg
Mounting mode	Not rack-mountable
USB compatible	No

## **Environmental**

Ambient air temperature for operation	045 °C
Operating altitude	010000 ft
Relative humidity	095 %
Ambient air temperature for storage	-1545 °C
Storage altitude	0.00000000015240.000000000 m
Storage Relative Humidity	095 %

# **Packing Units**

<b>v</b>	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.2 cm
Package 1 Width	49.5 cm
Package 1 Length	36.8 cm
Package 1 Weight	10.91 kg

## **Contractual warranty**

Warranty

2 years repair or replace

# C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained $\geq$	
How we assess product sustainability $>$	
$\bigtriangledown$ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	35
Environmental Disclosure	Product Environmental Profile
Use Better	
	Pro-active compliance (Product out of EU RoHS legal
EU RoHS Directive	scope)
EU RoHS Directive REACh Regulation	
	scope)
REACh Regulation	scope)
REACh Regulation Use Again	scope)