



APC NetShelter Soundproof, 12U, Server Rack Enclosure, Maple

AR4012A

Overview

Lead time Usually Ships within 2 Weeks

Main

Product or component type	Rack enclosure
Main Input Voltage	100230 V
output connection type	4 IEC 60320 C13
Number of rack unit	12U
Number of cables	1
Provided equipment	Casters

Physical

Height	785 mm
Width	750 mm
Depth	1130.4 mm
Net weight	114 kg
Colour	Maple
Mounting preference	No preference
Mounting mode	Not rack-mountable
Mounting position	Vertical
Maximum mounting depth	0.83 m
minimum mounting depth	0.69 m
Rack width	19"
Permanent permissible load	840 kg static

Input

Network frequency 50/60 Hz

Output

PDU type Basic

Conformance

Standards EIA-310D

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	89.9 cm
Package 1 Width	82 cm
Package 1 Length	120 cm
Package 1 Weight	158 kg

Contractual warranty

Warranty	2 years
----------	---------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	479	

Use Better

⊗ Materials and Substances	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No