

Product datasheet

Specifications



RACK PDU, BASIC, 0U/1U, 220-240V, 32A, (4) C19, EMEA/ ASIA

AP6032A

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Colour	Black
Product or component type	PDU
PDU type	Basic
Cord length	3.7 m
Provided equipment	Installation guide Safety guide

Complementary

Input Voltage	200 V 230 V 240 V
Height	4.4 cm
Width	43.8 cm
Output Voltage	200 V 230 V 240 V
Depth	9.3 cm
Net weight	2.78 kg
Mounting location	Front Rear
Mounting preference	No preference
Input Plug Type	IEC 60309 32 A 2P + E
Mounting mode	Not rack-mountable
Rack units	1U
Mounting position	Horizontal
Permissible voltage	200...240 V
Max line current	32 A
Input current limits	32 A
Load capacity	7400 VA
Network frequency	50/60 Hz
Outlet type and quantity	4 IEC 60320 C19

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environment

Product certifications	CE IRAM VDE
------------------------	-------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	20.8 cm
Package 1 Width	18 cm
Package 1 Length	47.8 cm
Package 1 Weight	3.75 kg
SCC14	10731304327827

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint		
Environmental Disclosure		Product Environmental Profile
Use Better		
Materials and Substances		
EU RoHS Directive		Compliant
REACH Regulation		REACH Declaration
Energy efficiency		
Optimized Energy Efficiency		Energy efficient product
Use Again		
Repack and remanufacture		
Circularity Profile		End of Life Information
Take-back		Yes