Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications





APC Symmetra RM XR Frame w/2 SYBT2 Scalable to 4 220-240V

SYRMXR2B4I

Overview

| Presentation | Extended run power protection for servers, networks, and telecommunications |
|--------------|---|
| Lead time | Usually in Stock |

Main

| Product or component type | Battery accessory | |
|---------------------------|------------------------------------|--|
| Number of rack unit | 4U | |
| Number of cables | 1 | |
| Battery type | Lead-acid battery | |
| Provided equipment | Rack mounting brackets User manual | |
| Range of product | Symmetra Battery Systems | |

Batteries & Runtime

| Number of battery free slots | 2 | |
|--|----------------------|--|
| Number of battery filled slots | 2 | |
| Device mounting | 19 inch battery tray | |
| Number of battery replacement quantity | 2 | |

Physical

| Colour | Black | |
|---------------|--------------------|--|
| Height | 17.8 cm | |
| Width | 48.3 cm | |
| Depth | 64 cm | |
| Net weight | 65.46 kg | |
| Mounting mode | Not rack-mountable | |

Environmental

| Ambient air temperature for operation | 040 °C |
|---------------------------------------|------------------------------|
| Operating altitude | 010000 ft |
| Relative humidity | 095 % |
| Ambient air temperature for storage | -5560 °C |
| Storage altitude | 0.00000000015240.000000000 m |

Storage Relative Humidity 0...95 %

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|---------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 34.3 cm |
| Package 1 Width | 81.3 cm |
| Package 1 Length | 58.4 cm |
| Package 1 Weight | 75 kg |

Contractual warranty

Warranty 2 years repair or replace, optional on-site warranties available, optional extended warranties available



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

| ∅ Environmental footprint | | |
|---|-----|--|
| Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) | 228 | |

Use Better

| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
|-------------------|--|
| REACh Regulation | REACh Declaration |

Use Again

| ○ Repack and remanufacture | |
|----------------------------|------------------|
| Removable battery | User replaceable |
| Take-back | Yes |