



# APC Replacement Battery Cartridge, VRLA, 9Ah, 48V DC, 2year warranty

APCRBCV204

### Overview

Lead time Usually in Stock

### Main

Product or component type	Replacement battery cartridge	
Main Output Voltage	48 V DC	
Number of rack unit	0U	
Battery type	VRLA	
Range of product	Replacement Battery Cartridges	

## **Batteries & Runtime**

Battery location	Internal battery
Number of battery blocks per string	4
Number of battery free slots	0
Number of battery filled slots	0
Battery voltage	48 V
Number of battery replacement	1

## **Physical**

Height	64.8 mm	
Width	150.9 mm	
Depth	98.6 mm	
Net weight	10 kg	
Mounting mode	Not rack-mountable	
USB compatible	No	

## **Output**

Battery capacity 9 Ah

#### Conformance

Product certifications CB

### **Environmental**

Ambient air temperature for operation	040 °C	
Operating altitude	02000 m	
Relative humidity	090 % non-condensing	
Ambient air temperature for storage	-1545 °C	
Storage altitude	03000 m	
Storage Relative Humidity	095 % non-condensing	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	18.500 cm
Package 1 Width	28.000 cm
Package 1 Length	43.000 cm
Package 1 Weight	11.518 kg
Unit Type of Package 2	P12
Number of Units in Package 2	8
Package 2 Height	49.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	102.000 kg

# **Contractual warranty**

Warranty 2 Years



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

### Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No