Product datasheet

Specifications

APC



APC Replacement Battery Cartridge, VRLA, 9Ah, 48V DC, 2year warranty

APCRBCV201

Overview

Lead time	Usually in Stock	
Main		
Product or component type	Replacement battery cartridge	
Main Output Voltage	48 V DC	
Number of rack unit	0U	
Battery type	VRLA	
		_

Replacement Battery Cartridges

Range of product

Batteries & Runtime

Battery location	Internal battery	
Number of battery blocks per string	4	
Number of battery free slots	0	
Number of battery filled slots	0	
Battery voltage	48 V	
Number of battery replacement guantity	1	

Physical

Height	64.8 mm	
Width	150.9 mm	
Depth	98.6 mm	
Net weight	10 kg	
Mounting mode	Rack-mounted	
USB compatible	No	

Output

Battery capacity

9 Ah

СВ

Conformance

Product certifications

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	02000 m
Relative humidity	090 % non-condensing
Ambient air temperature for storage	-1545 °C
Storage altitude	03000 m
Storage Relative Humidity	095 % non-condensing

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	33 cm
Package 1 Width	43 cm
Package 1 Length	18 cm
Package 1 Weight	11.3 kg
Unit Type of Package 2	РАМ
Number of Units in Package 2	48
Package 2 Height	120 cm
Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	555.4 kg

Contractual warranty

Warranty

2 Years

L Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

${\!$	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
Use Again	

\circlearrowright Repack and remanufacture

Circularity Profile

Take-back

No

End of Life Information