



# APC Replacement Battery Cartridge #166 with 2 Year Warranty

APCRBC166

### Overview

Lead time Usually in Stock

### Main

Main Input Voltage	12 V DC	
Product or component type	Replacement battery cartridge	
Battery type	Lead-acid battery	
Provided equipment	Installation guide	

## **Batteries & Runtime**

Number of battery free slots	0
Number of battery filled slots	0
Number of battery replacement quantity	1

### **Physical**

Colour	Black
Height	7.6 cm
Width	15.2 cm
Depth	20.3 cm
Net weight	5.59 kg
Mounting mode	Not rack-mountable

### **Environmental**

Ambient air temperature for operation	045 °C
Operating altitude	010000 ft
Relative humidity	095 % non-condensing
Ambient air temperature for storage	-545 °C
Storage Relative Humidity	095 % non-condensing

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.6 cm

Package 1 Width	27.5 cm
Package 1 Length	23.4 cm
Package 1 Weight	5.83 kg
SCC14	10731304346880

### **Contractual warranty**

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

<b>⊘</b> Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	19
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No