

Ecostruxure Micro Data Center, 43U rack, with Netbotz monitoring, power panel, power meter, HMI, fans, lights, 2080H x 800W x 1200D mm

AR4340IX500

Overview

Lead time Usually in Stock

Main

Product or component type Micro data center

Complementary

Network frequency 50 Hz

Environment

Ambient air temperature for -20...40 °C storage

Physical

_	
Height	208 cm
Width	80 cm
Depth	120 cm
Number of rack unit	43U
Net weight	360 kg
Mounting mode	Rack-mounted
Mounting preference	No preference
minimum mounting depth	19.1 cm
Maximum mounting depth	75 cm
Baying included	No
Permanent permissible load	1200 kg static

Conformance

Product certifications IEC 60950

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	226 cm
Package 1 Width	140 cm

Package 1 Length	110 cm	
Package 1 Weight	420 kg	



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Take-back

EU RoHS Directive	Compliant	
China RoHS Regulation	China RoHS Regulation China RoHS declaration	
Use Again		
○ Repack and remanufacture		
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	

No