



APC NetShelter Soundproof, 38U, Server Rack Enclosure, 230V, Maple

AR4038LIA

Overview

Lead time Usually Ships within 2 Weeks

Main

Product or component type	Rack enclosure	
Main Input Voltage	230 V	
Input Connection Type	IEC 60320 C20	
output connection type	8 IEC 60320 C13	
Number of rack unit	38U	
Cable length	2.49 m	
Number of cables	1	
Provided equipment	Casters	

Physical

Height	1940 mm	
Width	750 mm	
Depth	1130.4 mm	
Net weight	259 kg	
Colour	Maple	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Mounting position	Horizontal	
Maximum mounting depth	0.83 m	
minimum mounting depth	0.69 m	
Rack width	19"	
Permanent permissible load	1500 kg static	

Input

Network frequency 50/60 Hz

Output

PDU type Basic

Conformance

Standards EIA-310D

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	205.1 cm
Package 1 Width	82 cm
Package 1 Length	120 cm
Package 1 Weight	303 kg

Contractual warranty

Warranty 2 Years



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint			
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	919		

Use Better

EU RoHS Directive	Not applicable, out of EU RoHS legal scope

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No