APC



APC Replacement Battery Cartridge, VRLA, 9Ah, 24V DC, 2year warranty

APCRBCV200

Overview

Lead time Usually in Stock

Main

Product or component type	Replacement battery cartridge	
Main Output Voltage	24 V DC	
Number of rack unit	0U	
Battery type	VRLA	
Range of product	Replacement Battery Cartridges	

Batteries & Runtime

Battery location	Internal battery
Number of battery blocks per string	2
Number of battery free slots	0
Number of battery filled slots	0
Battery voltage	24 V
Number of battery replacement	1

Physical

Height	64.8 mm
Width	150.9 mm
Depth	98.6 mm
Net weight	5 kg
Mounting mode	Rack-mounted
USB compatible	No

Output

Battery capacity 9 Ah

Conformance

Product certifications CB

Environmental

Ambient air temperature for operation	040 °C	
Operating altitude	02000 m	
Relative humidity	090 % non-condensing	
Ambient air temperature for storage	-1545 °C	
Storage altitude	03000 m	
Storage Relative Humidity	095 % non-condensing	

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	28.5 cm
Package 1 Width	32.5 cm
Package 1 Length	16.5 cm
Package 1 Weight	5.8 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	84
Package 2 Height	128 cm
Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	500.2 kg

Contractual warranty

Warranty 2 Years



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No