



APC NetShelter Basic Rack PDU, 0U, 1PH, 3.3kW, 100-240V 20A or 200-240V 16A, 13 C13 outlets, C20 inlet

AP6020A

### Overview

Input Plug Type

Mounting mode

**USB** compatible

Mounting position

[In] rated current

Permissible voltage

Max line current

Input current limits

Rack units

Presentation	Reliable rack power distribution designed to increase manageability and efficiency in the data center The output and input connections are (13) C13 Real-time remote monitoring of connected loads User-defined alarms warn IT and data center managers of potential circuit overloads to prevent accidental power loss to critical equipment.	
Lead time	Usually in Stock	
Main		
Colour	Black	
Product or component type	PDU	
PDU type	Basic	
Provided equipment	Installation guide Safety guide	
	carety galac	
Complementary		
Complementary Input Voltage	100 V	
	100 V 120 V	
	100 V 120 V 200 V	
	100 V 120 V 200 V 208 V	
	100 V 120 V 200 V	
	100 V 120 V 200 V 208 V 230 V	
Input Voltage Height	100 V 120 V 200 V 208 V 230 V 240 V	
Input Voltage	100 V 120 V 200 V 208 V 230 V 240 V	
Input Voltage Height Width	100 V 120 V 200 V 208 V 230 V 240 V 38.8 cm	
Input Voltage  Height  Width  Depth	100 V 120 V 200 V 208 V 230 V 240 V 38.8 cm 4.4 cm	

12 Mar 2025

IEC 60320 C20

1U

No

16 A

20 A

20 A

Horizontal

100...240 V

Not rack-mountable

Load capacity	3300 VA
Network frequency	50/60 Hz
Outlet type and quantity	13 IEC 60320 C13

# **Environment**

Product certifications	cUL listed
	CE
	EAC
	IRAM
	PSE
	UL listed
	VDE

# **Packing Units**

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	43.6 cm
Package 1 Width	7.6 cm
Package 1 Length	21 cm
Package 1 Weight	2.02 kg
SCC14	10731304327803

# **Contractual warranty**

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	38	
Environmental Disclosure	Product Environmental Profile	

## **Use Better**

Materials and Substances	
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
᠃ Energy efficiency	
Optimized Energy Efficiency	Energy efficient product

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes