



APC NetShelter Soundproof, 17U, Server Rack Enclosure, 230V, Maple

AR4017IA

Overview

Lead time Usually Ships within 2 Weeks

Main

Product or component type	Rack enclosure
Main Input Voltage	230 V
Input Connection Type	IEC 60320 C20
output connection type	8 IEC 60320 C13
Number of rack unit	17U
Cable length	2.49 m
Number of cables	1
Provided equipment	Casters

Physical

Height	1005 mm
Width	750 mm
Depth	1130.4 mm
Net weight	144 kg
Colour	Maple
Mounting preference	No preference
Mounting mode	Not rack-mountable
Mounting position	Horizontal
Maximum mounting depth	0.83 m
minimum mounting depth	0.69 m
Rack width	19"
Permanent permissible load	840 kg static

Input

Network frequency 50/60 Hz

Output

PDU type Basic

Conformance

Standards EIA-310D

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	112 cm
Package 1 Width	82 cm
Package 1 Length	120 cm
Package 1 Weight	188 kg

Contractual warranty

Warranty 2 Years



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	570	

Use Better

EU RoHS Directive	Not applicable, out of EU RoHS legal scope

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No