



APC Smart-UPS Charge Mobile Battery for Microsoft Surface Hub 2S & Surface Hub 3

CSH2

Overview

Presentation	APC Smart-UPS Charge Mobile Battery is a lithium-ion battery system designed to power Microsoft Surface Hub 2S and Surface Hub 3 on-the-go, so you stay connected regardless of the location.	
Lead time	Usually in Stock	
Main		
Main Input Voltage	100 V	
	120 V 230 V	
Product or component type	Battery	
Input Connection Type	IEC 60320 C13	
Battery type	Li-lon (Lithium-lon)	
Provided equipment	DC cable	
	Detachable IEC C13 to IEC C14 power cord	
	Screw set	
	User manual	
	USB cable	
Range of product	Smart-UPS Battery Systems	

Batteries & Runtime

Number of battery filled slots	1
Number of battery free slots	0

Physical

Height	429.3 mm
Width	279.4 mm
Depth	88.9 mm
Net weight	10.0 kg
Mounting mode	Not rack-mountable
USB compatible	Yes

Input

Network frequency	4070 Hz		
-------------------	---------	--	--

Conformance

Product certifications	California Energy Commission (CEC) CE cTUVus UN 38.3
Standards	FCC part 15 class A

Environmental

Ambient air temperature for operation	040 °C
Relative humidity	085 %
Ambient air temperature for storage	-2060 °C
Storage Relative Humidity	095 % non-condensing

Packing Units

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	429.3 mm
Package 1 Width	88.9 mm
Package 1 Length	279.4 mm
Package 1 Weight	12.46 kg

Contractual warranty

Warranty 3 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Removable battery	User replaceable
Take-back	No