

# Product datasheet

Specifications



## APC KVM 2G, Analog, 1 Local User, 8 ports



KVM0108A

### Overview

|           |                  |
|-----------|------------------|
| Lead time | Usually in Stock |
|-----------|------------------|

### Main

|                           |                                                                  |
|---------------------------|------------------------------------------------------------------|
| Product or component type | Switch                                                           |
| Number of rack unit       | 1U                                                               |
| Provided equipment        | CD with software<br>Installation guide<br>Rack mounting brackets |

### Physical

|                     |                    |
|---------------------|--------------------|
| Colour              | Black              |
| Height              | 4.3 cm             |
| Width               | 42.4 cm            |
| Depth               | 18.8 cm            |
| Net weight          | 2.4 kg             |
| Mounting location   | Front              |
| Mounting preference | No preference      |
| Mounting mode       | Not rack-mountable |

### Conformance

|                        |                                                                                     |
|------------------------|-------------------------------------------------------------------------------------|
| Product certifications | cUL listed<br>C-Tick<br>CE<br>EAC<br>TAA compliance<br>UL-AR<br>VCCI class A<br>VDE |
| Standards              | FCC part 15 class A<br>ICES-003<br>UL 60950-1                                       |

### Environmental

|                                       |              |
|---------------------------------------|--------------|
| Ambient air temperature for operation | 0...50 °C    |
| Operating altitude                    | 0...10000 ft |
| Relative humidity                     | 0...80 %     |
| Ambient air temperature for storage   | -20...60 °C  |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                           |                                   |
|---------------------------|-----------------------------------|
| Storage altitude          | 0.0000000000...15240.0000000000 m |
| Storage Relative Humidity | 0...80 %                          |

## Packing Units

|                              |         |
|------------------------------|---------|
| Unit Type of Package 1       | PCE     |
| Number of Units in Package 1 | 1       |
| Package 1 Height             | 14.6 cm |
| Package 1 Width              | 33 cm   |
| Package 1 Length             | 61.9 cm |
| Package 1 Weight             | 3.9 kg  |

## Contractual warranty

|          |                           |
|----------|---------------------------|
| Warranty | 2 years repair or replace |
|----------|---------------------------|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

|                                                                                                            |                                   |
|------------------------------------------------------------------------------------------------------------|-----------------------------------|
|  Materials and Substances |                                   |
| <a href="#">EU RoHS Directive</a>                                                                          | Compliant                         |
| REACH Regulation                                                                                           | <a href="#">REACH Declaration</a> |

Use Again

|                                                                                                            |                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  Repack and remanufacture |                                                                                                                                                                                                               |
| Circularity Profile                                                                                        | <a href="#">End of Life Information</a>                                                                                                                                                                       |
| WEEE                                                                                                       |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |
| Take-back                                                                                                  | No                                                                                                                                                                                                            |