# Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications





# Power Cord Kit (6 ea), Locking, C13 TO C14, 0.6m, Blue

AP8702S-WWX590

### Overview

Lead time Usually in Stock

### Main

Product or component type	Power cord	
Input Connection Type	IEC 60320 C14	
Cable length	0.6 m	
Number of cables	6	

### **Physical**

Colour	Blue
Height	24 cm
Width	7 cm
Depth	4 cm
Net weight	0.7 kg
Mounting location	Front
Mounting preference	No preference
Mounting mode	Not rack-mountable

## Input

Max line current	10 A	
Input current limits	10 A	

### **Output**

Max current draw	10 A	
Number of power socket outlets	1 IEC 60320 C13	
Power cable length	0.6 m	

### Conformance

Product certifications	CCC		
	PSE		
	VDF		

### **Environmental**

Ambient air temperature for	070 °C
operation	

Relative humidity	2080 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2575 °C
Storage Relative Humidity	2080 %
Storage altitude	0.000000000015240.000000000 m

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	24 cm
Package 1 Width	4 cm
Package 1 Length	7 cm
Package 1 Weight	0.7 ka

# **Contractual warranty**

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

### Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	220
Environmental Disclosure	Product Environmental Profile

### **Use Better**

EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

### Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Take-back	Yes