

APC Rack PDU 9000 Switched, ZeroU, 11.5kW, 200-240V, (21) C13/C15 & (3) C19/C21

APDU9981NA3

Overview

Lead time Usually in Stock

Main

Wall		
Colour	Black	
Product or component type	PDU	
PDU type	Switched	
Cord length	1.8 m	
Number of cables	1	
Provided equipment	Installation guide Rack mounting brackets Safety guide	

Complementary

Input Voltage	415 V 3 phases	
Height	179.1 cm	
Width	5.5 cm	
Output Voltage	208 V 240 V	
Depth	4.6 cm	
Net weight	7 kg	
Mounting location	Side	
Mounting preference	No preference	
Input Plug Type	IEC 60309 20 A 3P + N + PE	
Mounting mode	Not rack-mountable	
Rack units	OU	
USB compatible	No	
Mounting position	Vertical	
Communication port protocol	SNMP Redfish	
[In] rated current	16 A	
Max line current	20 A	
Input current limits	20 A	
Load capacity	11500 VA	

Network frequency	50/60 Hz
Outlet type and quantity	21C13/C15 3C19/C21
Communication network type	10/100/1000BASF-T

Environment

Product certifications	cUL listed FCC part 15 class A PSE
Standards	UL 62368-1
Ambient air temperature for operation	-560 °C
Relative humidity	595 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	595 %
Storage altitude	0.000000000015240.000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	200.2 cm
Package 1 Width	11.4 cm
Package 1 Length	16.5 cm
Package 1 Weight	8.95 kg

Contractual warranty

Warranty 3 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	2814
Environmental Disclosure	Product Environmental Profile

Use Better

⊗ Materials and Substances	
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Removable battery	Yes
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Take-back	No