Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

APC



Power Cord Kit (6 ea), Locking, C19 to C20, 1.8m, Blue

AP8716SX593

Overview

Lead time Usually in Stock

Main

Product or component type	Power cord	
Input Connection Type	IEC 60320 C20	
Cable length	1.8 m	
Number of cables	6	

Physical

Colour	Blue	
Height	30 cm	
Width	8 cm	
Depth	7 cm	
Net weight	2.16 kg	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	

Input

Max line current	16 A
Input current limits	16 A

Output

Max current draw	16 A
Number of power socket outlets	1 IEC 60320 C19
Power cable length	1.8 m

Conformance

Product certifications	CCC
	CSA
	PSE
	UL listed
	VDE

Environmental

Ambient air temperature for	075 °C
operation	

Relative humidity	2080 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2575 °C
Storage Relative Humidity	2080 %
Storage altitude	0.000000000015240.000000000 m

Packing Units

Unit Type of Package 1	PCE
	FOL
Number of Units in Package 1	1
Package 1 Height	30 cm
Package 1 Width	7 cm
Package 1 Length	8 cm
Package 1 Weight	2.16 kg
SCC14	10731304285011

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability

0	Environmental	factorist
4	Environmental	TOOLDITIL

Environmental Disclosure Product Environmental Profile

Use Better

Materials and Substances EU RoHS Directive Compliant REACh Regulation REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Take-back	Yes