



Retrofit Base, for TeSys Giga contactor LC1G630-800

LA9GRFB3

Main

Range	TeSys
Range of product	TeSys G
Device short name	LA9G
Product or component type	Plate
Product compatibility	LC1G630800 LC1G620
Device application	Retrofit installation

Complementary

Height	284 mm
Width	235 mm
Depth	42 mm
Net weight	2.74 kg
Quantity per set	Set of 1

Environment

Ambient air temperature for operation	-2560 °C
Ambient air temperature for storage	-6080 °C
Operating altitude	3000 m without derating 5000 m with derating factor
Pollution degree	3 conforming to IEC 60947-1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.5 cm
Package 1 Width	24.0 cm
Package 1 Length	29.0 cm
Package 1 Weight	1.936 kg
Unit Type of Package 2	S02
Number of Units in Package 2	3
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm

Package 2 Length	40.0 cm
Package 2 Weight	6.212 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental Disclosure

Product Environmental Profile

Use Better

⊗ Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	6fbdad13-bb7c-47d4-a6d6-d82dd6f54349
REACh Regulation	REACh Declaration
Halogen-free status	Halogen free plastic parts product
PVC free	No

Use Again

○ Repack and remanufacture		
End of life manual availability	End of Life Information	
Take-back	No	
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	

Technical Illustration

Assembly's dimensions

